

Date 06.04.2026 / 4584

To
Director
Ministry of Environment and Forest
Kendriya Bhawan 5th Floor
Sector H Aliganj
Lucknow 226024

Sub:- Six monthly progress report of Chemical Division up to 31-03-2026


Sir,
We are here with submitting the six monthly point wise progress report of our chemical division along with the data sheet part -1

- | | |
|---|----------|
| 1- Test report of ground water from farmers fields,copy enclosed. | Annex.1 |
| 2- Test report of ground water from pizo well,copy enclosed. | Annex.2 |
| 3- Test report of drinking water,copy enclosed. | Annex.3 |
| 4 – Test report of noise monitoring,copy enclosed | Annex.4 |
| 5 – Test report of ambient air quality,copy enclosed. | Annex.5 |
| 6- Test report of slop boiler of 75 TPH stack monitoring,copy enclosed. | Annex.6 |
| 7- Test report of CPU treated water,copy enclosed. | Annex.7 |
| 8- Balance sheet for the last financial year 2024-2025,copy enclosed. | Annex.8 |
| 9- Public liability insurance is valid up to 12.06.2026,copy enclosed. | Annex.9 |
| 10- Consent of UPGWA,copy enclosed. | Annex.10 |
| 11- Consent to operate of air & water,copy enclosed. | Annex.11 |
| 12- Authorization of Hazardous waste,copy enclosed. | Annex.12 |

This is for your kind information please.


Thanking you
Faithfully Yours

For The Dhampur Sugar Mills LTD.


Authorized Signatory

Enclosures :- As above along with data sheet part 1



RO Copy Received


20/04/2026
क्षेत्रीय कार्यालय
उद्योग प्रदूषण नियन्त्रण बोर्ड
महर्षि दयानन्द नगर गिकट सेक्टरमेंरी स्कूल
राजकर रोड बिजनौर - 246701

Date 06.04.2026

The Regional Director
Ministry of Environment & Forest
Kendriya Bhawan, 5th Floor
SECTOR "H" Aliganj, Lucknow.

Ref: EC F. No.J 11011/586/2017/A-II (I) dated 20.03.2019

Sub : **Environmental Clearance for expansion of our Chemical Division from 200 KLPD to 350 KLPD at Dhampur Distt.-Bijnor U.P.**

Dear Sir,

We are submitting our Compliance Report for the period upto 31.03.2026, as follows:-

SPECIFIC CONDITIONS

Sl.no.	Details of Conditions	Action / Compliance Details
1	The Project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/or any other statutory authority.	The unit will strictly adhere to the stipulations made by the UP State Pollution Control Board (UPPCB), State Government and/or any other Statutory Authority.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, forest and Climate Change. In case of deviation of alteration in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the ministry to assess the adequacy of conditions imposed and to add additional environmental protection measure required, if any.	The unit is strictly adhere with the point and not implemented any change or modification also not willing to take up any further expansion or modifications in the plant without prior approval of the Ministry of Environment, forest and Climate Change.
3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	The Unit has complied with the condition and the locations of ambient air quality monitoring stations have been finalized with the consultation of UPPCB. It has been ensured that one station each is installed in the up-wind and down-wind direction as well as where maximum ground level concentrations are anticipated. The monitoring report are attached with location name.(Annex-5)
4	National Ambient Air Quality Emission The Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009 shall be complied with.	The Unit is complying with standards of National Ambient Air Quality Emission as per the Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009.

5	The Overall Noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA,1986 Rules, 1989 Viz 75 DBA (day time) & 70 dB A (Night time)	The Overall Noise levels in and around the plant area are being kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels are conforming to the standards prescribed under EPA,1986 Rules, 1989 Viz 75 DBA (day time) & 70 dB A (Night time). The monitoring report are attached with parameter of day and night.(Annex-4)
6	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the groundwater and utilize the same for industrial operations within the plant.	The Company has adopted the pond to recharge the ground water.
7	Training shall be imparted to all employees on Safety and Health aspects of Chemicals Handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis.	The Unit has well defined training program. The desired medical records of each employee are also maintained.
8	The Company Shall Comply with all the environmental protection measures and safe guards proposed in the documents submitted to the ministry. All the recommendations made in the EIA/EMP in respect of Environmental Management, Risk mitigation measures and public hearing shall be implemented.	Environmental protection measures are being taken for effective compliance of safeguards recommended in EIA/EMP report.
9	The Company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR Activities shall be undertaken by involving local villagers administrations and other stakeholders. Also eco developmental measures shall be under taken for overall improvement of the environment.	The CSR Activities are finalized at the Corporate level. The unit at Dhampur is also part of CSR Activities as per provisions of the Companies Act. The Unit is undertaking all measures for improving socio-economic conditions of masses in the surrounding area. CSR Activities have undertaken by involving local villagers administrations and other stakeholders. The unit has undertaken E-co developmental measures for overall improvement of the environment.
10	A separate environmental management cell equipped with full-flashed laboratory facilities shall be setup to carry out the environmental management and monitoring functions.	Environmental Management Cell is already in place.

11	<p>The Company shall earmark sufficient funds towards capital cost & recurring cost per annum to implement the conditions stipulated by the ministry of environment, Forest & Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein, the fund show earmark for environment management, pollution control measures shall not be diverted for any other purpose.</p>	<p>The Company has been allocating adequate funds for Environmental Management and continuously augment the systems.</p>
12	<p>A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad, Municipal Corporation, Urban Local Body and the Local NGO, if any from home suggestions, representation, if any, were received by processing the proposal.</p>	<p>The unit has shared a copy of the Environmental Clearance (EC) to the concerned Panchayat, Zila Parishad, Municipal Corporation, Urban Local Body and the Local NGO. No suggestions or representations have been received.</p>
13	<p>The Project Proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (Both in the hard copy as well email) to the respective regional office of MOEF & CC, the respective zonal office of CPCB & SPCB. A copy of Environment Clearance & Six Monthly Compliance Status report shall be posted on the website of the company.</p>	<p>The Six monthly compliance status report along with data is being submitted UPPCB / CPCB / MOEF. A copy of Environment Clearance & Six Monthly Compliance Status report has been posted on the website https://www.dhampursugar.com.</p>
14	<p>The Environmental Statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of Environmental Clearance conditions & shall also be sent to the Respective Regional Office of MOEF & CC by email.</p>	<p>The unit has been submitted the Environmental Statement for the financial year ended 31st March, 2025 in Form-V as is mandated to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986 as amended subsequently. The same has been put on the website of the company along with the status of compliance of Environmental Clearance conditions & has been also be send to the Respective Regional Office of MOEF & CC by email.</p>

15	<p>The Project Proponent shall inform the public that the project has been accorded environmental clearance by the ministry and copy of the clearance letter are available with the SPCB /Committee and may also be same at website of the ministry at http://moef.nic.in this shall be advertised within seven days from the date of issue of the clearance letter, at least in two newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.</p>	<p>The Environmental Clearance details have already been published in two local newspapers for public information. Copies of the same are attached.</p>
----	--	---

GENERAL CONDITION

Sl. No.	Details	Action Details
1.	<p>Consent to Establish/Operate for the project shall be obtained from the state Pollution Control Board as required under the air (Prevention and Control of Pollution) Act, 1981 and the water (Prevention and Control of Pollution) Act.1974.</p>	<p>The unit has obtained the Consent to Establish/Operate for the project from the UPPCB as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act.1974. The copy of both are attached.(Annex-11)</p>
2.	<p>As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/Treated water shall be discharged outside premises</p>	<p>The Unit is complying with the condition of Zero Liquid Discharge and no Waste/Treated water is discharged outside premises.</p>
3.	<p>Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules. 2016. Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.</p>	<p>The unit has authorisation of Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules 2016. Ref.No:14156/UPPCB/Bijnore (UPPCBRO)/HWM/BIJNOR/2021 valid upto 16/05/2026.(Annex-12)</p>
4.	<p>To control source and the fugitive emission, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emission shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines</p>	<p>The Unit has installed high efficiency Filter Bags Scrubber & ESP system with the Stack and SPM has been maintained as per norms below 50 mg/nm³ as per guidelines.The both stack report is attached.</p>
5.	<p>Total fresh water requirement shall not exceed 2275 cum/day proposed to be met from ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.</p>	<p>The Unit had obtained NOC from CGWA. Copy of the NOC is attached.(Annex-10)</p>

6.	The spent wash shall be taken to multi effect evaporators (MEE) and the concentrated spent wash shall be incinerated in the boiler along with bagasse.	The unit has installed MEE & Slop Fire Boiler/ Incinerator.
7.	The distillery shall be permitted to operate throughout the year as proposed	The unit is being operated through on the year as per EC,NOC with ZLD system.
8.	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	The unit has a separate area for hazardous chemicals.
9	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	Process organic residue (Ash) sold out to third party for recycling purpose.
10.	The Company shall strictly comply with the rules and guidelines under Manufacture Storage and import of Hazardous chemical (MSIHC) Rules, 1989 as amended time to time all transportation of Hazardous chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	N.A.
11.	<p>The company shall undertake minimization measures as below</p> <ul style="list-style-type: none"> (i) Metering and control of quantities of active ingredients to minimize waste. (ii) Reuse of by products from the process as raw materials substitutes in other processes. (iii) Use of automated filling to minimize spillage. (iv) Use of close feed system into batch reactors. (v) Venting equipment through vapour recovery systems. (vi) Use of high pressure hoses for equipment clearing to reduced wastewater generation. 	The Unit has adequate arrangements.

12.	The green belt of 5-10 m width shall be developed in more than 33% of the total project area mainly along the plant periphery, in downward wind direction, and along road sides etc. selection of plant species shall be as per the CPCB guidelines in consultation with the state Forest Department	Provision of green belt of total plant area has already been taken and plantation has been done as per guidelines and on the advice of DFO . We have planted species of Neem, Pipel, Hase, Simble, Gulmohar, Ashoka etc with consultation of DFO.
13.	All the commitments made regarding issue raised during the public hearing/consultation meeting shall be satisfactory implemented	All suggestions as per public hearings have been implemented.
14.	At least 0.1% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and Item wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	The company is complying with the condition of CSR and decisions are taken at corporate level for all units of the company.
15.	For the DG Sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	The unit have no provision of DG set. In case of power failure, will use the grid supply of UPPCL.
16.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	The Unit has adequate Fire Safety Systems. All precautions are taken for fire hazards.
17	Occupational has surveillance of the workers shall be done on a regular basis & records maintained as per the factories act.	The Unit has its own dispensary where a qualified and experiend Doctor has been posted to take care of employees and their families residing in the Unit premises and also for maintaining helth record of employees. The Unit is also conducting the Health Camp in surrounding villages. A vehicle has been earmarked for any serious case round the clock for taking immediate action in transferring the patient to nearby hospital in the city.
18	There shall be adequate space inside the premises earmarked for parking of vehicles for raw materials & finished products, and no parking to be allowed outside on public places.	The Unit has adequate parking space in the premises for all types of vehicles.
19	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emission.	The Unit has adequate storage facility for the raw material as per rules.

20	Continuous Online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to CPCB and SPCB server for online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Continuous online 24*7 monitoring system for stack emission has been installed and the data already transmitted to CPCB and SPCB servers for online continuous monitoring. The unit has installed Web Camera with night vision capacity and data transmitted to SPCB Servers for continuous monitoring. The Unit has also installed mass flow meter at inlet and outlet of effluent within the premises.
21	CO2 generated from the process shall be bottled/made solid ice and sold to authorized vendors	The Unit has adequate arrangement.

We assure you that we are conscious to our Environmental and Social responsibilities and also committed towards creating a clean and safe environment in an around manufacturing facility and continue to update and improve the Systems. Kindly acknowledge the receipt. We shall promptly provide if any further information or clarification is required.

For Dhampur Sugar Mills Ltd. Dhampur
(Chemical Division)

(Authorised Signatory)



C.C. :

- 1- The Chief Environmental Officer Circle -7, Uttar Pradesh Pollution Control Board.
- 2- The Regional Officer Bijnor, Uttar Pradesh Pollution Control Board.

**MONITORING REPORT
PART-1
DATA SHEET**

1.	Project Type	Chemical Industry
2.	Name of Project	Dhampur Sugar Mills Limited Chemical Division
3.	Clearance letter/OM No. & Date	20.03.2019
4.	Location District State Latitude/Longitude	Dhampur BIJNOR Uttar Pradesh 29.3080° N 78.50333° E
5.	Address for Concerned project	Dhampur Sugar Mills Ltd. Dhampur Distt. Bijnor U.P 246761
	Address of Project Incharge	Mr. Subhash Pandey Dhampur Sugar Mills Ltd. Dhampur Distt. Bijnor U.P 246761
6.	Salient Features	
(a)	of the Project	(a) Molasses/Grain based distillery. (b) Plant Capacity- Installed capacity 350 KL (c) Water consumption – 5.0 m ³ /KL (d) Waste water Generation – 5.5 m ³ /KL (e) Waste water discharge - NIL (f) Waste water Treatment system – CPU +MEE + Slop Boiler of 75 & 55 TPH.
(b)	of the Environmental Management Plant	Distillery is based on Zero Liquid Discharge (ZLD) technology in which 100% concentrated spent wash is consumed in the Slope Boiler and slope generated from grain plant is being dried in Dryer to produce DDGS as by product.
7.	Breakup of the Project area	For plant & machinery - Approx 160000 sqm
8.	Breakup of the project affected population with enumeration of those losing houses/dwelling unit only units and agricultural land less laboureres/artisans. (a) SC/ST Adivasis (b) Others (c) Number of villages affected (d) Name and other particulars of identified area for settlement (e) Compensation package (f) Budget (g) Status	----- Not applicable -----

9.	Financial details	
(a)	Project cost of originally planned subsequent revised estimated and the years of price reference.	Balance sheet enclosed
(b)	Allocations made for Environment Management plans, with item wise and year wise breakup.	<p>1997-1998 - 800.00 Lacs</p> <p>2008-2012 - 2200.00 Lacs</p> <p>2014-2017 - 1800.00 Lacs</p> <p>2017-2018 - 70.00 Cr. For one new MEE & Incineration boiler of 75 TPH Rs. 2.40 crores for installation of CPU for the treatment of condensate water costing Rs. 1.55 crores and UET for the treatment of cooling water blow down costing 85 Lacs. (Further allocation of 4.00 Cr for future planning.) We have invested an amount of Rs. 5.00crores including the allocated amount of Rs 4.00 crores for integrated MEE. Additional investment of 16.61 Crores has been done on installation of Falling film Evaporator of 2150 Ton,CPU modification & decanters during 2019-2020.</p> <p>2020-2021-The unit has been installed 4500 KLD CPU plant with biological system having cost of 14 crore.</p> <p>2022-2023 -The unit has been installed 55 TPH slope boiler having cost of 60 crore and also installed the dryer of 50 Ton capacity having cost 4.0 crore for slope consumption for Grain plant.</p>
(c)	Benefit cost ratio/internal rate of return and the year of assessment.	Balance sheet for the year 2024-25 is enclosed.
(d)	Whether (c) includes the cost of environmental management as shown in (b) above.	Yes
(e)	Actual expenditure incurred on the Environmental Management plan so far.	Actual expenditure incurred on Environmental Management control measures during the year are Rs. 226.41 Crore
10.	<p>Forest and requirement</p> <p>(a) The status of approval for a diversion of forest land for forest use.</p> <p>(b) The status of compensatory afforestations, if any.</p> <p>(c) The status of clear felling.</p> <p>(d) Comments on the viability & sustainability of compensatory afforestation programme in the light of actual field experience so far.</p>	----- Not Applicable -----
11.	The status of clear felling in non forest are.	----- Not Applicable -----
12.	Status of construction :	
(a)	Date of Commencement (actual and / of planned).	350 KLPD @ C heavy capacity commissioned
(b)	Date of Completion (actual and / or planned).	1990-91
13.	Compliance report on Environmental clearance conditions.	Enclosed herewith



TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. - GEL/7.8.2 & 7.8.3 F-13

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	WW-260316/001
Test Report No.	:	GEL-2603/4652
ULR Number	:	TC-718626000004433F
Date of Issue	:	26.09.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	15.03.2026
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM NINDRU)
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.39	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<0.1	1(max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	15.2	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	256	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	38	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	66.9	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	138	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	115	200 (max.)	600 (max.)



INTEKHAB KHAN
(Checked By)
(Technical Manager)



SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)



TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



Test Report No.: GEL-2603/4652

ULR Number: TC-718626000004433F

BACTERIOLOGICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

TANU CHAUDHARY

(Checked By)

(Analyst)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.




END OF REPORT



MONICA SINGH

(Reviewed By-Authorized Signatory)

(Sr. Microbiologist)





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-13

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	WW-260316/002
Test Report No.	:	GEL-2603/4653
ULR Number	:	TC-718626000004434F
Date of Issue	:	26.09.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	15.03.2026
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM SARKRA)
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.44	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<0.1	1(max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	17.6	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	261	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	37	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	78	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	144	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	120	200 (max.)	600 (max.)



INTEKHAB KHAN
(Checked By)
(Technical Manager)



SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)



GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



Test Report No.: GEL-2603/4653

ULR Number: TC-71862600004434F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

Tanu

TANU CHAUDHARY
(Checked By)
(Analyst)


- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT



MONICA SINGH
(Reviewed By- Authorized Signatory)
(Sr. Microbiologist)





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-13

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	WW-260316/003
Test Report No.	:	GEL-2603/4654
ULR Number	:	TC-718626000004435F
Date of Issue	:	26.09.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	15.03.2026
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM HARRA)
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.49	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<0.1	1(max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	17.6	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	271	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	35	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	72	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	119	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	88	200 (max.)	600 (max.)

INTEKHAB KHAN
(Checked By)
(Technical Manager)



SHIKHA BHATIYA
(Reviewed By- Authorized Signatory)
(Quality Manager)



GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



Test Report No.: GEL-2603/4654

ULR Number: TC-71862600004435F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

Tanu

TANU CHAUDHARY
(Checked By)
(Analyst)


- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT



MONICA SINGH
(Reviewed By-Authorized Signatory)
(Sr. Microbiologist)





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P.)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. - GEL/7.8.2 & 7.8.3 F-13

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	WW-260316/004
Test Report No.	:	GEL-2603/4655
ULR Number	:	TC-718626000004436F
Date of Issue	:	26.09.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	15.03.2026
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM JOGIPURA)
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.66	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<0.1	1(max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	16.3	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	289	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	33	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	87	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	112	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	91	200 (max.)	600 (max.)


INTEKHAB KHAN
(Checked By)
(Technical Manager)




SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)





GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



Test Report No.: GEL-2603/4655

ULR Number: TC-71862600004436F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

Tanu
TANU CHAUDHARY
(Checked By)
(Analyst)

MONICA SINGH
(Reviewed By- Authorized Signatory)
(Sr. Microbiologist)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-13

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)	
Sample Identification No.	:	GW-260316/005	
Test Report No.	:	GEL-2603/4648	
ULR Number	:	TC-718626000004429F	
Date of Issue	:	21.03.2026	
Testing Location	:	PERMANENT FACILITY	
Sampling Method	:	GEL/SOP-C/45	
Type of Sample	:	DRINKING WATER (UNTREATED)	
Sample Collection Date	:	15.03.2026	
Sample Collected by	:	GEL STAFF	
Sample Quantity	:	2.0 LTR + 500 ML	
Sample Description	:	LIQUID	
Sampling Location	:	GROUND WATER - PIEZOWELL WATER FROM CHEMICAL UNIT	
Lab Environment Condition	:	TEMPERATURE °C 25±2	HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026	
Sample Condition	:	SEALED	
Analysis Duration	:	16.03.2026 To 20.03.2026	

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.68	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<0.1	1 (max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	22	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	378	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	51	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	69.4	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	138	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	110	200 (max.)	600 (max.)

INTEKHAB KHAN
(Checked By)
(Technical Manager)



SHIKHA BHATIYA
(Reviewed By- Authorized Signatory)
(Quality Manager)



GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



Test Report No.: GEL-2603/4648

ULR Number: TC-718626000004429F


BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
9	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
10	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

Tanu
TANU CHAUDHARY
(Checked By)
(Analyst)


MONICA SINGH
(Reviewed By-Authorized Signatory)
(Sr. Microbiologist)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. – GEL/7.8.2 & 7.8:3 F-12

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT)	
	:	NORTHERN RAILWAY,	
	:	DISTRICT: - BIJNORE (U.P.)	
Sample Identification No.	:	DW-260316/001	
Test Report No.	:	GEL-2603/4647	
ULR Number	:	TC-718626000004428F	
Date of Issue	:	21.03.2026	
Testing Location	:	PERMANENT FACILITY	
Sampling Method	:	GEL/SOP-C/45	
Type of Sample	:	DRINKING WATER	
Sample Collection Date	:	15.03.2026	
Sample Collected by	:	GEL STAFF	
Sample Quantity	:	2.0 LTR + 500 ML	
Sample Description	:	LIQUID	
Sampling Location	:	R.O. WATER	
Lab Environment Condition	:	TEMPERATURE °C 25±2	HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026	
Sample Condition	:	SEALED	
Analysis Duration	:	16.03.2026 To 20.03.2026	

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	Colour	HZN	IS:3025(Part 4): 2021	<5	5 (max.)	15 (max.)
2	Odour	---	IS:3025 (Part 5): 2018	Agreeable	Agreeable	Agreeable
3	pH	---	IS:3025 (Part 11): 2022	6.92	6.5-8.5	No relaxation
4	Turbidity	NTU	IS:3025 (Part 10): 2023	<0.1	1(max.)	5(max.)
5	Total Dissolved Solids (TDS)	mg/L	IS:3025 (Part 16): 2023	108	500 (max.)	2000 (max.)

GENERAL PARAMETERS

6	Calcium	mg/L	IS 3025 (Part 40): 2024	8.6	75(max.)	200(max.)
7	Chloride	mg/L	IS 3025 (Part 32):20256	15	250(max.)	1000(max.)
8	Fluoride (F)	mg/L	APHA-4500 F-D (24 th Edition):2023	BDL(DL-0.1)	1.0 (max.)	1.5 (max.)
9	Residual, Free Chlorine(RFC)	mg/L	IS 3025 (Part 26): 2021	BDL(DL-0.1)	0.2 (min.)*	1.0 (min.)*
10	Magnesium (Mg)	mg/L	IS 3025 (Part 46):2023	5.8	30(max.)	100(max.)
11	Sulphate (SO ₄)	mg/L	IS 3025 (Part 24): Sec 1:2022	7.1	200 (max.)	400 (max.)
12	Total Hardness	mg/L	IS 3025 Part 21:2009 (RA: 2023)	56	200 (max.)	600 (max.)
13	Iron (Fe)	mg/L	IS 3025 : Part 53: 2024	BDL(DL-0.05)	1.0(max.)	No Relaxation

BDL: Below Detection Limit. DL: Detection Limit. *Limit to be Applicable only when water is chlorinated.

INTEKHAB KHAN
(Checked By)
(Technical Manager)



SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



Test Report No.: GEL-2603/4647

ULR Number: TC-718626000004428F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

Tanu
TANU CHAUDHARY
(Checked By)
(Analyst)


- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT




MONICA SINGH
(Reviewed By-Authorized Signatory)
(Sr. Microbiologist)





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-05

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-260316/001
Test Report No.	:	GEL-2603/4642
ULR Number	:	TC-718626000004424F
Date of Issue	:	21.03.2026
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Date of Monitoring	:	15.03.2026 To 16.03.2026
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	16.03.2026
Monitoring Location	:	NEAR GRAIN PLANT
Monitoring Duration	:	24 HRS
Calculation Duration	:	16.03.2026 To 17.03.2026

S. No.	Parameters	Noise Level dB(A) (Day Time) (06:00 am-10:00 pm)	Noise Level dB(A) (Night Time) (10:00 pm-06:00 am)
1.	L _{MAX}	74.6	65.8
2.	L _{MIN}	53.5	49.8
3.	Avg. Leq	63.7	57.8

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)


INTEKHAB KHAN
(Checked By)
(Technical Manager)


SHIKHA BHATIYA
(Reviewed By - Authorized Signatory)
(Quality Manager)

- Note: 1. The results listed refer only to the tested samples and applicable parameters.
2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-05

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-260316/002
Test Report No.	:	GEL-2603/4643
ULR Number	:	TC-718626000004425F
Date of Issue	:	21.03.2026
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Date of Monitoring	:	15.03.2026 To 16.03.2026
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	16.03.2026
Monitoring Location	:	NEAR BAGASSE
Monitoring Duration	:	24 HRS
Calculation Duration	:	16.03.2026 To 17.03.2026

S. No.	Parameters	Noise Level dB(A) (Day Time) (06:00 am-10:00 pm)	Noise Level dB(A) (Night Time) (10:00 pm-06:00 am)
1.	L _{MAX}	69.7	59.8
2.	L _{MIN}	50.6	47.6
3.	Avg. Leq	60.1	53.7

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)


INTEKHAB KHAN
(Checked By)
(Technical Manager)


SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)

- Note: 1. The results listed refer only to the tested samples and applicable parameters.
2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P.)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-05

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-260316/003
Test Report No.	:	GEL-2603/4644
ULR Number	:	TC-718626000004426F
Date of Issue	:	21.03.2026
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Date of Monitoring	:	15.03.2026 To 16.03.2026
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	16.03.2026
Monitoring Location	:	NEAR MEE PLANT
Monitoring Duration	:	24 HRS
Calculation Duration	:	16.03.2026 To 17.03.2026

S. No.	Parameters	Noise Level dB(A) (Day Time) (06:00 am-10:00 pm)	Noise Level dB(A) (Night Time) (10:00 pm-06:00 am)
1.	L _{MAX}	70.8	62.2
2.	L _{MIN}	55.7	48.6
3.	Avg. Leq	63.2	55.4

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)


INTEKHAB KHAN
(Checked By)
(Technical Manager)

- Note: 1. The results listed refer only to the tested samples and applicable parameters.
2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Subject to Ghaziabad Jurisdiction only.


SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)



END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-05

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-260316/004
Test Report No.	:	GEL-2603/4645
ULR Number	:	TC-718626000004427F
Date of Issue	:	21.03.2026
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Date of Monitoring	:	15.03.2026 To 16.03.2026
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	16.03.2026
Monitoring Location	:	MAIN GATE CHEMICAL
Monitoring Duration	:	24 HRS
Calculation Duration	:	16.03.2026 To 17.03.2026

S. No.	Parameters	Noise Level dB(A) (Day Time) (06:00 am-10:00 pm)	Noise Level dB(A) (Night Time) (10:00 pm-06:00 am)
1.	L _{MAX}	71.1	63.7
2.	L _{MIN}	56.4	49.6
3.	Avg. Leq	63.7	56.6

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)


INTEKHAB KHAN
(Checked By)
(Technical Manager)

- Note: 1. The results listed refer only to the tested samples and applicable parameters.
2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT




SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)





GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-01

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-260316/001
Test Report No.	:	GEL-2603/4638
ULR Number	:	TC-718626000004421F
Date of Issue	:	21.03.2026
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	15.03.2026 To 16.03.2026
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS +BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	NEAR GRAIN PLANT
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Sample Collection Date	:	16.03.2026
Ambient Temperature (K)	:	309
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	94	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	57	60*	IS:5182(part-24):2019 (RA 2024)
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	14.8	80*	IS:5182(part-2):2001 (RA-2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	33.9	80*	IS:5182(part-6):2006(RA-2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	0.92	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004 (RA 2019)
7.	Ammonia	[µg/m ³]	23.4	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	36.2	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004(RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

CPCB'S specification for Ambient Air Quality for 1.0 hours. **BDL : Below Detection Limit. **DL**: Detection Limit.

INTEKHAB KHAN
(Checked By)
(Technical Manager)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

SHIKHA BHATIYA
(Reviewed By- Authorized Signatory)
(Quality Manager)

END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-01

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-260316/002
Test Report No.	:	GEL-2603/4639
ULR Number	:	TC-718626000004422F
Date of Issue	:	21.03.2026
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	15.03.2026 To 16.03.2026
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS + BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	NEAR BAGASSE
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Sample Collection Date	:	16.03.2026
Ambient Temperature (K)	:	309
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	91	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	50	60*	IS:5182(part-24):2019 (RA 2024)
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	14.1	80*	IS:5182(part-2):2001 (RA-2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	30.6	80*	IS:5182(part-6):2006(RA-2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	0.94	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004 (RA 2019)
7.	Ammonia	[µg/m ³]	22.1	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	32.6	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004(RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

CPCB'S specification for Ambient Air Quality for 1.0 hours. **BDL : Below Detection Limit. **DL**: Detection Limit.**INTEKHAB KHAN**

(Checked By)

(Technical Manager)

- Note: 1. The results listed refer only to the tested samples and applicable parameters.
2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Subject to Ghaziabad Jurisdiction only.

SHIKHA BHATIYA

(Reviewed By-Authorized Signatory)

(Quality Manager)



END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-01

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-260316/003
Test Report No.	:	GEL-2603/4640
ULR Number	:	TC-718626000004423F
Date of Issue	:	21.03.2026
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	15.03.2026 To 16.03.2026
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS +BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	NEAR MEE PLANT
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Sample Collection Date	:	16.03.2026
Ambient Temperature (K)	:	309
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	98	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	57	60*	IS:5182(part-24):2019 (RA 2024)
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	15.3	80*	IS:5182(part-2):2001 (RA-2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	35.1	80*	IS:5182(part-6):2006(RA-2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	0.99	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004 (RA 2019)
7.	Ammonia	[µg/m ³]	24.6	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	37.1	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004(RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

CPCB'S specification for Ambient Air Quality for 1.0 hours. **BDL : Below Detection Limit. **DL**: Detection Limit.


INTEKHAB KHAN
(Checked By)
(Technical Manager)

- Note: 1. The results listed refer only to the tested samples and applicable parameters.
2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Subject to Ghaziabad Jurisdiction only.


SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)

END OF REPORT





GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-01

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-260316/004
Test Report No.	:	GEL-2603/4641
ULR Number	:	TC-718626000004423F
Date of Issue	:	21.03.2026
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	15.03.2026 To 16.03.2026
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS + BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	MAIN GATE CHEMICAL
Lab Environment Condition	:	TEMPERATURE °C 25±2 HUMIDITY % <65
Sample Collection Date	:	16.03.2026
Ambient Temperature (K)	:	309
Date of Sample Receipt	:	16.03.2026
Sample Condition	:	SEALED
Analysis Duration	:	16.03.2026 To 20.03.2026

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	93	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	55	60*	IS:5182(part-24):2019 (RA 2024)
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	14.1	80*	IS:5182(part-2):2001 (RA-2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	32.6	80*	IS:5182(part-6):2006(RA-2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	0.92	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004 (RA 2019)
7.	Ammonia	[µg/m ³]	21.8	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	34.7	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004(RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

CPCB'S specification for Ambient Air Quality for 1.0 hours. **BDL : Below Detection Limit. **DL**: Detection Limit.


INTEKHAB KHAN
(Checked By)
(Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)

3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.


SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)

END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. - GEL/7.8.2 & 7.8.3 F-03

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT)	
	:	NORTHERN RAILWAY,	
	:	DISTRICT: - BIJNORE (U.P.)	
Sample Identification No.	:	SE-260316/002	
Test Report No.	:	GEL-2603/4646	
ULR Number	:	TC-718626000004427F	
Date of Issue	:	21.03.2026	
Sampling Method	:	GEL/SOP-C/46	
Testing Location	:	PERMANENT FACILITY	
Monitoring Description	:	STACK EMISSION FROM : BOILER 75 TPH	
Sample Collection Date	:	15.03.2026	
Instrument Used For Sampling	:	STACK SAMPLER	
Sampling Duration	:	43 MINUTES	
Sample Collected by	:	GEL STAFF	
Sampling Location	:	PORT HOLE	
Lab Environment Condition	:	TEMPERATURE °C 25±2	HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026	
Sample Condition	:	SEALED	
Analysis Duration	:	16.03.2026 To 20.03.2026	

SAMPLE SOURCE DETAILS

Type & Consumption of Fuels	:	FEED BAGASEE & SPENTWASH	
Stack Height (From Ground level)	:	84.0 meter	
Stack Height (From Roof level)	:	-	
Stack Diameter (at Port Hole)	:	3000 mm	
Stack Temperature (K)	:	376	
Ambient Temperature (K)	:	309	
Average Velocity [m/sec.]	:	6.8	
Flow Rate of SPM [LPM]	:	23.0	
Flow Rate of Gases [LPM]	:	2.4	
Quantity of emission(Nm ³ /Hr)	:	137073.0	
APCS	:	ESP	

ANALYSIS RESULT

S No.	PARAMETER	UNIT	RESULT	LIMIT*	TEST METHOD
1.	PARTICULATE MATTER	[mg/Nm ³]	48	150	IS:11255(part-1): 1985 (RA:2019)
2.	OXIDES OF NITROGEN	[mg/Nm ³]	22.8	Not Specified	IS:11255(part-7):2005 (RA:2022)
3.	SULPHUR DIOXIDE	[mg/Nm ³]	7.1	Not Specified	IS:11255(part-2):1985 (RA:2019)
4.	CARBON MONOXIDE	% By Volume	BDL	Not Specified	IS 13270 : 1992 (RA 2024)

*CPCB Emission Standard. **BDL**: Below Detection Limit.


INTEKHAB KHAN
(Checked By)
(Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)

3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.



SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)

END OF REPORT





TC-7186

GLOBAL ENVIRO Laboratories LLP

PLOT NO. 4, KHASRA NO. 45, MORTA INDUSTRIAL AREA, OPPOSITE SHREE MANAN DHAM TEMPLE, 8th K.M. MILESTONE MEERUT ROAD, MORTA, GHAZIABAD-201003 (U.P.)
MOBILE : +91-9810317145, +91-8826028116, +91-9810828054
E-mail : globalenvirolab@gmail.com, office.globalenviro@gmail.com



JOIN HANDS TO SAVE ENVIRONMENT

TEST REPORT

Format No. – GEL/7.8.2 & 7.8.3 F-10

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)	
Sample Identification No.	:	WW-260316/001	
Test Report No.	:	GEL-2603/4649	
ULR Number	:	TC-718626000004430F	
Date of Issue of the Report	:	21.03.2026	
Sampling Method	:	GEL/SOP-C/45	
Testing Location	:	PERMANENT FACILITY	
Type of Sample	:	EFFLUENT WATER (TREATED WATER)	
Sample Collection Date	:	15.03.2026	
Sample Collected by	:	GEL STAFF	
Sampling Location	:	CPU OUTLET	
Sample Quantity	:	2.0 LTR	
Sample Description	:	LIQUID	
Lab Environment Condition	:	TEMPERATURE °C 25±2	HUMIDITY % <65
Date of Sample Receipt	:	16.03.2026	
Sample Condition	:	SEALED	
Analysis Duration	:	16.03.2026 To 20.03.2026	

ANALYSIS RESULT

S. NO.	PARAMETER	UNIT	RESULT	LIMIT*	TEST METHOD
1.	pH	-	7.48	5.5 -9.0	IS:3025(part-11): 2022
2.	Total Suspended Solids	mg/L	BDL(DL-4.0)	100	IS:3025(part-17): 2022
3.	Chemical Oxygen Demand	mg/L	92	250	IS:3025(part-58):2006
4.	Total Hardness	mg/L	58	Not Specified	IS:3025(part-21): 2009 (RA 2019)
5.	Colour	Hazen	<5	-	IS:3025(Part-4):2021
6.	Electrical Conductivity	µs/cm	240	Not Specified	IS:3025(Part-14):2013

*CPCB General standard for discharge of Environmental Pollution.(EP Act-1986 -Schedule-VI)
BDL : Below Detection Limit. DL: Detection Limit

INTEKHAB KHAN
(Checked By)
(Technical Manager)

- Note: 1. The results listed refer only to the tested samples and applicable parameters.
2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT



SHIKHA BHATIYA
(Reviewed By-Authorized Signatory)
(Quality Manager)

DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
BALANCE SHEET AS AT MARCH 31, 2024

		(Amount in ₹)		
	Particulars	Note No.	As at March 31, 2025	As at Mar 31, 2024
	ASSETS			
(1)	Non - Current Assets			
	(a) Property, plant and equipment	1	1,92,03,00,626	2,06,37,47,645
	(b) Financial assets			
	(i) Loans	2	5,22,500	37,72,500
	(c) Other non - current assets	4(i)	59,50,323	65,15,315
	Sub total (Non current assets)		1,92,67,73,449	2,07,40,35,460
(2)	Current Assets			
	(a) Inventories	5	61,62,06,500	50,82,01,559
	(b) Financial assets			
	(i) Trade receivables	6	54,50,32,284	39,26,97,299
	(ii) Cash and cash equivalents	7	10,000	10,000
	(iii) Bank Balances other than cash and cash equivalents	8	3,97,45,000	5,17,45,000
	(iv) Others	3	14,31,578	10,99,837
	(c) Other current assets	4(ii)	18,85,89,188	15,42,00,762
	(d) Current Tax Asset		-	78,26,086
	Sub total (Current assets)		1,39,10,14,550	1,11,57,80,543
	Total assets		3,31,77,87,999	3,18,98,16,003
	EQUITY AND LIABILITIES			
	EQUITY			
	(a) Head office balance	9	1,92,25,72,272	1,55,09,38,701
	(b) Other equity	10	28,07,83,389	28,07,83,389
	Sub total (Equity)		2,20,33,55,661	1,83,17,22,090
	LIABILITIES			
(1)	Non - current liabilities			
	(a) Financial liabilities			
	(i) Borrowings	11(i)	60,00,00,000	84,00,00,000
	(b) Provisions	15(i)	3,84,59,899	3,54,34,723
	Sub total (Non current liabilities)		63,84,59,899	87,54,34,723
(2)	Current liabilities			
	(a) Financial liabilities			
	(i) Borrowings	11(ii)	24,30,63,679	31,39,65,888
	(ii) Trade payables	12	10,60,51,375	6,35,41,215
	(iii) Other financial liabilities	13	7,73,42,516	7,47,57,690
	(b) Other current liabilities	14(ii)	4,42,77,987	2,18,96,504
	(c) Provisions	15(ii)	52,36,881	84,97,893
	Sub total (Current liabilities)		47,59,72,438	48,26,59,190
	Total Equity & Liabilities		3,31,77,87,999	3,18,98,16,003

The accompanying notes form an integral part of the financial statements

Signed For Identification

For Mittal Gupta & Co

Chartered Accountants

Firm Registration No. 001874C


Ajay Kumar Rastogi

Chartered Accountants

Membership No. 071426


Place : New Delhi

Dated: 16th May, 2025



Vikas Agarwal
C.G.M. (F & A)


Nishkam Gupta
Vice President



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
STATEMENT OF PROFIT AND LOSS FOR THE YEAR ENDED MARCH 31, 2025

(Amount in ₹)


	Particulars	Note No.	Year ended Mar 31, 2025	Year ended Mar 31, 2024
I	Revenue from operations	16	5,09,96,17,997	8,12,24,33,173
II	Other income	17	94,32,270	50,08,895
	Total income (I + II)		5,10,90,50,267	8,12,74,42,068
III	Expenses			
	Cost of materials consumed	18	3,73,12,76,188	5,54,16,07,505
	Changes in inventories of finished goods, stock - in - trade and work - in - progress	19	9,41,56,640	16,72,78,240
	Employee benefits expenses	20	8,82,29,453	9,36,27,586
	Finance costs	21	4,86,87,567	5,52,37,706
	Depreciation and amortization expenses	1	15,57,63,839	15,03,59,980
	Other expenses	22	84,52,02,193	93,45,69,023
	Total expenses (III)		4,96,33,15,880	6,94,26,80,040
IV	Profit / (loss) for the period transferred to Head Office		14,57,34,387	1,18,47,62,028
V	Other comprehensive income			
	(i) Items that will not be reclassified to profit or loss Cash Flow Hedge			3,14,250
VI	Total comprehensive income for the period		14,57,34,387	1,18,50,76,278


The accompanying notes form an integral part of the financial statements


Signed For Identification
For Mittal Gupta & Co
Chartered Accountants
Firm Registration No. 001874C


Ajay Kumar Rastogi
Chartered Accountants
Membership No. 071426

Place : New Delhi
Dated: 16th May, 2025


Vikas Agarwal
C.G.M. (F & A)


Nishkam Gupta
Vice President





DHAMPUR SUGAR MILLS LIMITED
UNIT: DSM CHEMICALS
Notes to Financial Statements

"1" - Property, plant & equipment

(Amount in ₹)

Particulars	Land	Building	Roads	Plant & Equipments	Furniture & Fixtures	Computers	Office Equipments	Lab Equipment	Electrical Installation	Hydraulic	Total
Gross Carrying Cost											
As on 01-04-2024	28,73,30,000	1,46,54,548	1,16,97,525	2,93,39,03,625	61,864	17,16,789	7,38,973	1,04,95,448	2,22,02,729	2,21,67,428	3,30,49,68,929
Additions	-	24,33,040	-	88,86,806	-	-	9,89,324	7,650	-	-	1,23,16,820
As at 31-03-2025	28,73,30,000	1,70,87,588	1,16,97,525	2,94,27,90,431	61,864	17,16,789	17,28,297	1,05,03,098	2,22,02,729	2,21,67,428	3,31,72,85,749
Depreciation											
As on 01-04-2024	-	1,02,60,965	1,12,42,108	1,16,59,28,234	54,842	15,72,367	4,16,950	1,03,46,408	2,07,73,347	2,06,26,063	1,24,12,21,284
Charges for the year	-	8,38,824	-	15,45,66,263	1,472	37,818	2,48,919	2,276	39,395	28,872	15,57,63,839
As at 31-03-2025	-	1,10,99,789	1,12,42,108	1,32,04,94,497	56,314	16,10,185	6,65,869	1,03,48,684	2,08,12,742	2,06,54,935	1,39,69,85,123
Net Carrying Cost											
As at 31-03-2025	28,73,30,000	59,87,799	4,55,417	1,62,22,95,934	5,550	1,06,604	10,62,428	1,54,414	13,89,987	15,12,493	1,92,03,00,626
As on 31-03-2024	28,73,30,000	43,93,583	4,55,417	1,76,79,75,391	7,022	1,44,422	3,22,023	1,49,040	14,29,382	15,41,365	2,06,37,47,645



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"2" Financial Assets - Loans and Advances
Long term loans and advances

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Unsecured, considered good Security deposits - to others	5,22,500	37,72,500
Total	5,22,500	37,72,500

"3" - Other Financial assets
Other Current Financial assets

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Interest Receivable	14,31,578	10,99,837
Total	14,31,578	10,99,837

"4" - Other Assets

(i) Other Non-Current Assets


(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Capital Advance	1,11,130	9,56,122
Tax under Protest	58,39,193	55,59,193
Total	59,50,323	65,15,315

(ii) Other Current Assets

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Capital Advance		
Advance to Suppliers	2,30,349	3,48,784
Advances to employees	82,157	1,42,157
Balance with Revenue authorities	10,24,68,376	6,87,27,414
Prepaid Expenses	1,94,37,710	2,11,04,946
Subsidy Receivable	6,63,70,596	6,38,77,461
Total	18,85,89,188	15,42,00,762



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"5" - Inventories

Particulars	(Amount in ₹)	
	As at March 31, 2025	As at Mar 31, 2024
Raw materials		
Molasses	50,59,01,036	30,34,43,644
Goods-in-process	4,53,24,445	2,87,00,936
Finished goods	4,03,83,081	15,11,63,230
Stores & Spare parts	2,45,97,938	2,48,93,749
Total	61,62,06,500	50,82,01,559

Inventories have been valued on the following basis :

- Raw material, process chemicals, stores, spares and packing material are carried at weighted average cost.
- Work in progress, traded and finished goods (other than by products and scraps) are measured at lower of cost or net realizable value.
- By products and scrap are carried at estimated Net Realizable Value.
- Cost of finished goods and work in progress comprises of raw material cost (net of realizable value of By-)
- Net realisable value (NRV) is the estimated selling price in the ordinary course of business less estimated costs of completion and the estimated costs necessary to make the sale.

"6" - Trade receivables

Particulars	(Amount in ₹)	
	As at March 31, 2025	As at Mar 31, 2024
Trade Receivables (Other than Related party)		
- Unsecured, considered good - From Others	54,50,32,284	39,26,97,299
Total	54,50,32,284	39,26,97,299

"7" - Cash and cash equivalents

Particulars	(Amount in ₹)	
	As at March 31, 2025	As at Mar 31, 2024
Cash and cash equivalents		
Balances with banks :		
-On Current Account	10,000	10,000
Total	10,000	10,000



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"8" - Bank Balances other than cash and cash equivalents

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Other bank balances :		
Fixed Deposits Earmarked	3,97,45,000	5,17,45,000
Total	3,97,45,000	5,17,45,000

"9" - Head Office Account

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Head office balance	1,77,68,37,885	36,58,62,421
Add : Profit for the year	14,57,34,387	1,18,47,62,030
Less : Cash Flow Reserve	-	3,14,250
Total	1,92,25,72,272	1,55,09,38,701

"10" - Other Equity

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Retained Earnings	28,07,83,389	28,07,83,389
Total	28,07,83,389	28,07,83,389

Note : Transfer from revaluation reserve on April 01, 2016

"11" - Financial Liabilities

(i) Long Term Borrowings

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Term Loan (Secured)		
Rupee term loans from banks	60,00,00,000	84,00,00,000
TOTAL	60,00,00,000	84,00,00,000

(ii) Short Term Borrowings

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Cash Credits from Bank	30,63,679	2,37,83,014
Current maturities of long term borrowings	24,00,00,000	29,01,82,874
Total	24,30,63,679	31,39,65,888



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"12" - Trade payables
(i) Current Liabilities


Particulars	(Amount in ₹)	
	As at March 31, 2025	As at Mar 31, 2024
Trade payables		
Total outstanding due of micro enterprises and small enterprises	1,15,20,659	82,61,917
Total outstanding due of creditors other than micro enterprises and small enterprises	9,45,30,716	5,52,79,298
Total	10,60,51,375	6,35,41,215

"13" - Other Financial Liabilities
(i) Current Liabilities

Particulars	(Amount in ₹)	
	As at March 31, 2025	As at Mar 31, 2024
Employee Benefits		
- Bonus	40,161	30,86,803
- Salary and Wages	55,22,265	35,56,491
Interest accrued on MSME	5,04,122	5,04,122
Interest Accrued but not due on borrowings	14,317	45,333
Security Deposits	7,81,327	1,31,327
Retention Money	4,43,28,599	5,06,62,445
Unpaid Liabilities	2,61,51,725	1,67,71,169
Total	7,73,42,516	7,47,57,690

"14" - Other Liabilities
Current Liabilities

Particulars	(Amount in ₹)	
	As at March 31, 2025	As at Mar 31, 2024
Deferred Govt. Grants	-	5,14,395
Advance from customers	1,85,190	23,94,930
Statutory dues payable	4,39,71,350	1,87,22,977
Other	1,21,447	2,64,202
Total	4,42,77,987	2,18,96,504



DHAMPUR SUGAR MILLS LIMITED
 UNIT : DSM CHEMICAL, DHAMPUR
 Notes to Financial Statements

"15" - Provisions

(i) Long term provision

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Provison for Employee Benefits		
Gratuity	3,84,59,899	3,54,34,723
Total	3,84,59,899	3,54,34,723

(ii) Short term provision

(Amount in ₹)

Particulars	As at March 31, 2025	As at Mar 31, 2024
Provison for Employee Benefits		
Gratuity	-	33,29,227
Others	52,36,881	51,68,666
Total	52,36,881	84,97,893



"16" - Revenue From operation

(Amount in ₹)

Particulars	YEAR ended Mar 31, 2025	Year ended Mar 31, 2024
Sale/Transfer of Products		
Sales of manufactured goods	5,08,65,19,707	8,11,70,98,181
Sub-Total (i)	5,08,65,19,707	8,11,70,98,181
ii. Other Operating Income		
Insurance claim received	-	15,124
Miscellaneous Income	11,73,521	4,903
Scrap Sales	1,19,24,769	41,89,965
Refund of Taxes	-	11,25,000
Sub-Total (ii)	1,30,98,290	53,34,992
Total (i+ii)	5,09,96,17,997	8,12,24,33,173

Note "16 A" Revenue from operations/Purchases of stock-in-trade/Inventories

Particulars	Opening stock		Production/Purchases		Sales		Closing Stock	
	Qty	Value (Rs.)	Qty	Value (Rs.)	Qty	Value (Rs.)	Qty	Value (Rs.)
Revenue from operations								
Sale/Transfer of Products								
Finished goods								
1 Ethanol (Un Denatured CF)	10,76,830	5,23,51,587	41,23,518	-	-	-	-	-
Previous Year	-	-	73,62,677	-	-	-	10,76,830	5,23,51,587
2 Absolute Alcohol (CF)	1,08,691	52,84,164	-	-	52,99,000	29,59,90,173	3,317	1,64,828
Previous Year	-	-	-	-	61,71,000	34,29,93,210	1,08,691	52,84,164
3 Ethanol (Un Denatured BH)	-	-	1,67,27,778	-	-	-	2,41,673	1,28,31,577
Previous Year	-	-	6,68,50,624	-	-	-	-	-
4 Absolute Alcohol BH	-	-	-	-	1,64,68,000	98,08,34,080	11,210	5,95,193
Previous Year	-	-	-	-	6,68,30,000	4,01,42,67,665	-	-
5 Ethanol (Un Denatured Cane Syrup)	-	-	1,59,80,671	-	-	-	848	48,917
Previous Year	58,44,920	28,56,67,714	2,84,02,998	-	-	-	-	-
6 Absolute Alcohol (Cane Syrup)	-	-	-	-	1,59,79,000	1,02,96,86,760	-	-
Previous Year	2,23,409	1,09,19,009	-	-	3,44,48,000	2,23,05,39,568	-	-
7 Ethanol (Un Denatured Broken Rice)	16,275	10,19,903	-	-	-	-	-	-
Previous Year	-	-	33,31,844	-	-	-	16,275	10,19,903
8 Absolute Alcohol (Broken Rice)	-	-	-	-	-	-	-	-
Previous Year	-	-	-	-	33,12,000	21,01,37,340	-	-
9 Ethanol (Un Denatured Maize)	13,90,539	8,43,66,904	3,03,68,792	-	-	-	1,01,294	68,41,463
Previous Year	-	-	1,38,34,926	-	-	-	13,90,539	8,43,66,904
10 Absolute Alcohol (Maize)	-	-	-	-	3,16,72,000	2,24,92,22,680	-	-
Previous Year	-	-	-	-	1,24,26,000	84,70,60,328	-	-
11 ENA (BL)	3,64,874	50,34,025	1,10,11,850	-	1,02,81,040	23,64,64,026	10,76,834	1,79,54,851
Previous Year	7,46,139	1,36,81,294	66,50,413	-	70,08,992	16,12,06,831	3,64,874	50,34,025
12 Fusel Oil	-	-	-	-	-	37,80,751	-	-
Previous Year	-	-	-	-	-	74,20,430	-	-
13 RAW CO2 Gas (Kg)	-	-	77,42,055	-	76,92,145	1,69,22,719	49,910	1,09,802
Previous Year	-	-	87,00,500	-	87,00,500	1,91,41,100	-	-
14 SDS (Broken Rice)	-	-	-	-	-	-	-	-
Previous Year	-	-	21,61,181	-	21,58,115	11,86,96,331	-	-
15 DDGS (Kg)	-	31,06,647	-	-	-	27,36,18,518	-	18,36,450
Previous Year	-	-	-	-	-	16,56,35,378	-	31,06,647
Sub-total Revenue from operations		15,11,63,230				5,08,65,19,707		4,03,83,081
Previous Year		31,02,68,017				8,11,70,98,181		15,11,63,230



DHAMPUR SUGAR MILLS LIMITED
 UNIT : DSM CHEMICAL, DHAMPUR
 Notes to Financial Statements

Other operating revenue				
Miscellaneous Receipts				11,73,521
Scrap Sale				1,19,24,769
Previous Year				
Insurance claim received				15,124
Scrap Sale				41,89,965
Miscellaneous Receipts				4,903
Refund of taxes				11,25,000
Sub-total Other operating revenue				1,30,98,290
Previous Year				53,34,992
Total				5,09,96,17,997
Previous Year				8,12,24,33,173
Stock-in-process				
Rectified Sprit - Cane Syrup				
Previous Year - Cane Syrup	8,05,245	3,68,74,388		
Rectified Sprit - CF	2,93,133	1,33,33,468		
Previous Year - CF				
Rectified Sprit - BH				2,93,133
Previous Year - BH				6,70,175
Rectified Sprit - Maize	2,69,734	1,53,67,467		
Previous Year - Maize				1,85,712
Total Stock-in-process		2,87,00,935		2,69,734
Previous Period		3,68,74,388		4,53,24,445
Revenue from operations (Gross)				5,09,96,17,997
Previous Period				8,12,24,33,173



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR

Notes to Financial Statements

"17" - Other income

(Amount in ₹)

Particulars	YEAR ended Mar 31, 2025	Year ended Mar 31, 2024
Income from Rent	-	15,806
Interest Income	29,64,100	24,74,419
Profit on sales of fixed Assets	-	20,20,822
Income from rendering services	4,13,696	3,85,430
LD	18,00,551	
Balance written back/Prov.no longer required	42,53,923	1,12,418
Total	94,32,270	50,08,895

"18" - Cost of materials consumed

(Amount in ₹)

Particulars	YEAR ended Mar 31, 2025	Year ended Mar 31, 2024
Cost of raw material consumed (Note - 18A)		
Molasses	95,14,23,405	3,06,47,01,113
Cane Syrup Consumed	84,33,55,000	1,34,02,16,250
Broken Rice & Maize	1,93,64,97,783	1,13,66,90,142
Total	3,73,12,76,188	5,54,16,07,505

"18" A - Cost of Raw materials consumed

Particulars	Year Ended March 31, 2025		Year Ended March 31, 2024	
	Qty (Qtls.)	Amount	Qty (Qtls.)	Amount
A. Molasses consumed				
Molasses Transfer/Purchases	16,94,331	1,13,42,08,561	22,76,917	2,37,44,27,007
Add : Opening stock of Molasses	1,17,178	5,19,68,783	7,32,917	74,22,42,889
Less : Closing stock of Molasses	(3,19,695)	(23,47,53,939)	(1,17,178)	(5,19,68,783)
Less : Transit & Storage Loss	(3,751)		(16,731)	
Sub-total (A)	14,88,064	95,14,23,405	28,75,925	3,06,47,01,113
B. Cane Syrup Consumed (Qtls.)				
Cane Syrup Transfer & Consumed	5,44,100	84,33,55,000	9,16,425	1,34,02,16,250
Sub-total (B)	5,44,100	84,33,55,000	9,16,425	1,34,02,16,250
C. Broken Rice consumed (Qtls.)				
Broken Rice Purchased	-		1,31,350	32,22,55,863
Add : Opening stock of Broken Rice	5,348	1,47,07,984	-	-
Less : Closing stock of Broken Rice	-		(5,348)	(1,47,07,984)
Less : Transit & Storage Loss	(5,348)		(4,705)	
Sub-total (C)	-	1,47,07,984	1,21,297	30,75,47,879
D. Maize consumed (Qtls.)				
Maize Purchased	8,15,346	1,95,61,70,194	4,73,515	1,06,59,06,621
Add : Opening stock of Maize	96,782	23,67,64,358	-	-
Less : Closing stock of Maize	(1,09,470)	(27,11,44,753)	(96,782)	(23,67,64,358)
Less : Transit & Storage Loss	19,226		(12,515)	
Sub-total (D)	8,21,884	1,92,17,89,799	3,64,218	82,91,42,263
Total cost of raw materials consumed (A to D)		3,73,12,76,188		5,54,16,07,505



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"19" - Changes in inventories of finished goods & work in progress (Amount in ₹)

Particulars	YEAR ended Mar 31, 2025	Year ended Mar 31, 2024
Closing Stock: :		
Finished	4,03,83,081	15,11,63,230
Stock-in-process	4,53,24,445	2,87,00,936
Total	8,57,07,526	17,98,64,165
Less: Opening Stock :		
Finished	15,11,63,230	31,02,68,017
Stock-in-process	2,87,00,936	3,68,74,388
Total	17,98,64,166	34,71,42,405
Net(Increase)/Decrease in stock	9,41,56,640	16,72,78,240

"20" - Employees benefits expense (Amount in ₹)

Particulars	YEAR ended Mar 31, 2025	Year ended Mar 31, 2024
Salaries and Wages	8,09,97,452	8,06,84,359
Contribution to Provident & other funds	52,76,714	52,50,548
Gratuity	13,33,145	71,85,036
Voluntary Retirement Compensation	-	95,668
Workmen & Staff Welfare Expenses	6,22,142	4,11,975
Total	8,82,29,453	9,36,27,586

"21" - Finance costs (Amount in ₹)

Particulars	YEAR ended Mar 31, 2025	Year ended Mar 31, 2024
Interest	8,18,98,452	10,61,77,762
Documentation and other bank charges	59,06,403	52,42,469
	8,78,04,855	11,14,20,231
Less : Interest capitalized during the period	-	(75,65,890)
Less : Interest subsidy claimed	(3,91,17,288)	(4,86,16,635)
Total	4,86,87,567	5,52,37,706



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements
"22" - Other expense

(Amount in ₹)

Particulars	Year ended Mar 31, 2025	Year ended Mar 31, 2024
Consumption of stores, spares & other manufacturing expenses	21,50,05,945	33,62,01,511
Packing material expenses	52,25,829	21,93,804
Power and fuel	51,00,06,149	46,18,54,010
Repair & maintenance :-		
- Plant and machinery	2,93,84,666	1,65,51,712
- Buildings	-	13,179
- Others	18,12,845	10,13,292
Rent	11,57,400	
Rates and taxes	18,35,697	51,93,989
Charity and donations	12,600	5,100
Insurance	1,31,12,140	81,27,391
Selling Expenses :-		
- Other selling expenses	4,78,80,725	8,76,15,046
Miscellaneous expenses	1,97,68,197	1,56,96,503
Balance written-off	-	86,483
Loss on Sales of Assets	-	17,003
Total	84,52,02,193	93,45,69,023

Signed For Identification
For Mittal Gupta & Co
Chartered Accountants
Firm Registration No. 001874C
Ajay Kumar Rastogi
Chartered Accountants
Membership No. 071426

Place : New Delhi
Dated: 16th May, 2025


Signature for Note No. 1 to 22

(Handwritten Signature)

Vikas Agarwal
C.G.M. (F & A)

(Handwritten Signature)

Nishkam Gupta
Vice President





POLICY SCHEDULE FOR PUBLIC LIABILITY (Act Only) INSURANCE

UIN NUMBER - IRDAN190P0076100001

Insured's Name	: DHAMPUR SUGAR MILLS LTD.(CHEMICAL UNIT)		
Insured's Details		Issuing Office Details	
Customer ID	: PO15658006	Office Code	: KASHIPUR D.O. (340600)
Address	: DHAMPUR , DISTT.BIJNOR BIJNOR ,UTTAR PRADESH, 246701	Address	: KASHIPUR D.O. GURU GOVIND SINGH MARKET, BAZPUR ROAD KASHIPUR - 244713 UDHAM SINGH NAGAR,244713
Phone No	: XXXXXX3608	Phone No	: 05947274191 / 9412419776
E-mail/Fax	: sanjaykumaragarwal@dampursugar.com, /	E-mail/Fax	: nia.340600@newindia.co.in /
PAN No	:	S.Tax Regn. No	: AAACN4165CST178
GSTIN/UIN	: 09AABCT2827N1ZY / NA	GSTIN	: 05AAACN4165C4ZU
		SAC	: 997139 (Other non-life insurance services excl RI)

Policy Details			
Policy Number	: 34060036253300000001	Business Source Code	
Period of Insurance	: From: 13/06/2025 12:00:01 AM To: 12/06/2026 11:59:59 PM	Dev.Off. level/Broker/Corp. Agent/Web Aggregator/CPSC User	: Mr. PRINCE KUMAR - (AO00003600)
Date of Proposal	: 13-Jun-25	Agent/Bancassurance/Specified Person	: Mr. MITIN CHEEMA (NIAAG00130616) MITIN CHEEMA (SI00214721)
Prev. Policy no.	: 34060036243300000001	Phone No	: 7895447503 / 9756444132
Client Type	: Corporate	E-mail/Fax	: mitincheema93@gmail.com, prince.kumar@newindia.co.in / /

Premium(₹)	ERF Premium(₹)	GST(₹)	Total (₹)	Total (₹ in words)	Receipt No. & Date
38430	38430	6,917	83,777	RUPEES EIGHTY-THREE THOUSAND SEVEN HUNDRED SEVENTY-SEVEN ONLY	3406008125000000083 9 - 03/06/25

Details of risk covered under current year policy:

Retroactive Date	Paid Up Capital	No Of Locations Involved	AOA	AOA:AOY	AOY	Annual Turnover - Previous Year	Annual Turnover - Proposed Year	Deductible No of workmen	No of Other Employee
12/06/2012	<= 15 Crore	1	50000000	1:3	15000000	52500000	60000000	250	500

Retroactive Dates

Retroactive Date Details	Date	Paid Up Capital	No Of Locations Involved	AOA	AOA:AOY	AOY	Annual Turnover - Previous Year	Annual Turnover - Proposed Year	Deductibles No of workmen	No of Other Employee
RETROACTIVE DATE 1	12/06/2012	<=15Crore	1	50000000	1.3	15000000	52500000	60000000	250	500

RETRO-DATE IS SUBJECT TO LESSER OF LIMITS - NARROWER OF COVER.

Extensions under the Policy

Name of the Extension	Sub Limit of the Extension	Deductibles of the Extension
-----------------------	----------------------------	------------------------------



Special Conditions	NA	
Special Exclusions	NA	
Special Excess/Deductible	100000	
Retroactive Dates	Date	
Retroactive date		12/06/2012

The Policy shall be subject to PUBLIC LIABILITY (Act Only) INSURANCE Policy clauses attached herewith.

Cluses	Description	
Premium and GST Details		
	Rate of Tax	Amount in INR
Premium		₹ 76,860
SGST	0	0
CGST	0	0
IGST	18	6917

In witness whereof the undersigned being duly authorised by the Insurers and on behalf of the Insurers has (have) hereunder set his (their) hand(s) on this 03rd day of June,2025.

For and on behalf of
The New India Assurance Company Limited

Date of Issue: 03/06/2025

Duly Constituted Attorney(s)

Stamp Duty under the Policy is ₹1

Mudrank _____ Dt. _____ consolidated Stamp Fees Paid by Pay Order Number _____ vide receipt number _____ dt. _____.

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

Tax Invoice No : 34060025E0001238

IRDA Registration Number: 190
NIA PAN NUMBER: AAACN4165C



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC022068

VALID FROM 06/04/2024 TO 05/04/2029

Name of the Applicant	ANANT PANDE		
Address of the Applicant:	Dhampur Sugar Mills Ltd Dhampur Bijnor		
Company Name:	DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION	Company Address	Distillery Division, Dhampur, District-Bijnor
Serial No. of Application Form	BJNR0324NIN0101	Date of Submission	05/03/2024
Specimen Signature of the User:			
Location particulars:			
District	Bijnor	Block	ALHEPUR
Plot No.	KHASRA NO. 194, 190 ETC.		
Municipality/Corporation	No	Ward No.	NA
Holding No.	NA		
Rate of Withdrawal (m³/hr.)	100.00	Date of Energization (In Case of Electric Pump)	25/10/2022
Particular of the Proposed Well and Pumping Device			
Type of the Well	Tube Well/Boring	Purpose of the Well	Industrial
Assembly Size (For Tube Well)	0.00	Approx. Strainer Length (For Tube Well)	0.00
Diameter (For Dug Well)	0.00	Type of Pump to be Used:	Submersible
H.P. of the Pump:	50.00	Operational Device	Electric Motor
Maximum Allowable Rate of Withdrawal (m³/hr.):	100.00	Maximum Allowable Running Hours Per Day:	10.75
Maximum Allowable Annual Extraction of Ground Water:	392375.00	Recharge Required:	196187.50

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director,

Ground Water Department, Uttar Pradesh, for chemical analysis.

- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

•
SPECIFIC CONDITIONS:

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :**27/06/2024**

Place:**Bijnor**

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC024675

VALID FROM 06/04/2024 TO 05/04/2029

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202403000127			
Name of the Owner	ANANT PANDE		
Designation पद	MANAGER	Company Name कंपनी का नाम	DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION
Company Address कंपनी का पता	Distillery Division, Dhampur, District - Bijnor	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	Dhampur Sugar Mills Ltd Dhampur Bijnor	Application No.	BJNR0324NIN0100
Date of Submission	05/03/2024	Specimen Signature	
Location Particulars			
District	Bijnor	Block	ALHEPUR
Plot No./Khasra No.	KHASRA NO. 194, 190 ETC	Municipality/Corporation	No
Ward No./Holding No.			NA
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	01/04/2007		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	130.62
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	50.00
Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	120.00

Date of Energization (In Case of Electric Pump)		01/04/2007	
Maximum Allowable Rate of Withdrawal (m³/hr.):	120.00	Maximum Allowable Running Hours Per Day:	10.00
Maximum Allowable Annual Extraction of Ground Water:	438000.00	Recharge Required	219000.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 219000.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- All Users abstracting ground water in excess of 100 m3/d shall be required to submit impact assessment report prepared by an accredited consultant from CGWA and National Accreditation Board for Education and Training (NABET). The report should highlight environmental risks and proposed management strategies to overcome any significant environmental issues such as ground water level decline, land subsidence etc. within three months of completion of the same to Ground Water Department Uttar Pradesh. The list of accredited Individuals/ Institutions is available on the official web-portal of CGWA.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4” to 6”.
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.

- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries / Laghu Udyog Bharati certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :12/04/2024

Place:Bijnor

This certificate is electronically generated and does not require digital signature



Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

178825/UPPCB/Bijnore(UPPCBRO)/CTO/both/BIJNOR/2023

Date: 06/04/2023

To,

M/s

DHAMPUR SUGAR MILLS LTD CHEMICAL DIVISION

Dhampur Sugar Mills Ltd, Dhampur ,BIJNOR,246761

**Application Id-
20040674**

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to **DHAMPUR SUGAR MILLS LTD CHEMICAL DIVISION** located at **Dhampur Sugar Mills Ltd, Dhampur ,BIJNOR,246761**. subject to the provisions of the **Water Act, Air Act** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **DHAMPUR SUGAR MILLS LTD CHEMICAL DIVISION** granted for the period from **06/04/2023 to 31/12/2027** and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	RS/ENA/AA by using B Heavy Molasses	455	Kilo Liters/Day
2	cogeneration power	10.5	Megawatt
3	RS/ENA/AA by using Cane juice syrup	490	Kilo Liters/Day
4	ethyl acetate	140	Kilo Liters/Day

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	80KLD	Septic Tank	ground
Industrial	ZLD	ETP	ZLD

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
1	Quantity of Discharge	ZLD

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
1	BOD (mg/L)	30mg/l
2	pH	5.5-9
3	TSS (mg/L)	100mg/l

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	Slop Boiler 75 TPH	Slop and Baggasse	01	Particulate Matter	Bag filter as APCS and stack height of 84 meters from ground level
2	Slop Boiler 55 TPH	Slop and Baggasse	02	Particulate Matter	Electrostatic Precipitator as APCS along with stack height of 82 meter from ground level

Emission Quality Standards

S No.	Stack no	Parameters	Standards
1	01	Particulate Matter	50mg/NM3
2	02	Particulate Matter	50mg/NM3

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof

6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.

7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. The earlier CTO issued by UPPCB vide letter number 173499/UPPCB/Bijnore(UPPCBRO)/CTO/Both/BIJNORE/2023 dated 19.01.2023 issued under Water (Prevention and Control of Pollution) Act 1974 and under Air (Prevention and Control of Pollution) Act 1981 for production of 350 KLD Rectified spirit/ ENA/AA and 140 KLD Ethyle Acitate and 10.5 MW cogeneration power with validity 31.12.2024 is hereby revoked.

2. This consent is valid for production of 455 KLD Ethanol/Rectified Spirit/ ENA by using B Heavy Mollases or 490 KLD Ethanol/Rectified Spirit/ ENA by using C Heavy Mollases with 140 KLD Ethyl Acetate and 10.5 MW cogeneration power.

3. Domestic sewage 80 KLD shall be disposed through STP of 220 KLD capacity, treated water shall be used in irrigation on land.

4. Unit shall identify recipient drains/ rivulets and their u/s & d/s location in consultation with UPPCB and shall carry out monthly monitoring of identified recipient drains at u/s & d/s location through lab recognized under Environment (Protection) Act,1986 and shall submit the analysis report on monthly basis by 10th of every month to CPCB and UPPCB.

5. Unit must strictly maintain zero liquid discharge of effluent outside premises into drain/river/water body and on land.

6. Unit must operate and maintain properly the installed flow meter and web camera with and shall ensure on line connectivity of flow meter and web camera with server of CPCB and UPPCB.

7. Unit shall develop Green Belt in minimum 33 percent area of Industrial Premises as per the provisions laid down in office order no. H16405/220/2018/02 dated 16-02-2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution Control Board www.uppcb.com.

8. Process effluent / any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.

9. Unit shall maintain the APCS installed in the slop fire boiler of 75 TPH with bag filtre and stack height is 84 meter from ground level, and Slop boiler of 55 TPH with ESP and stack height is 82 meter from ground level.

10. Unit shall install online emission monitoring system at the stack of Boiler of 55 TPH and maintain the records, and ensure the connectivity to the servers of CPCB and UPPCB.

11. Unit shall ensure the connectivity of online emission monitoring system installed at the stack of Boiler of 55 TPH to the servers of CPCB and UPPCB .

12. Unit shall ensure that ambient air quality of nearby areas is not adversely affected due to operation and emissions of the unit.

13. The overall noise levels in and around area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise level shall confirm to the standards under the Environment (Protection) Act 1986.

14. Unit shall make temporary storage facility for storage of hazardous waste in the premises before it will send to TSDF as per the provisions of Hazardous and Other Waste (Management and Transboundary

Movement)Rules 2016.

15. Unit shall comply the provisions of Hazardous and Other Waste (Management and Transboundary Movement)Rules 2016 and shall obtain authorization for disposal of hazardous waste.

16. Unit shall install the board showing daily environmental statement ie chemicals used in the treatment of effluent , flow meter reading , hazardous waste generated and send to TSDF etc.at the main gate of the unit.

17. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.

18. Unit shall submit ground water quality monitoring report and effluent monitoring report done by MoEF & CC approved laboratory in every 3 months.

19. This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on Revoking of Closure order, the Consent order shall become valid.

Chief Environment Officer

Copy to:

Regional Officer Bijnore to ensure the compliance of the conditions imposed in the consent order.

Chief Environment Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831 Fax:0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 14156/UPPCB/Bijnore(UPPCBRO)/HWM/BIJNOR/2021

Dated :16/05/2021

To,

M/s DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION

Dhampur Sugar mills Ltd Distillery Unit, BIJNOR, 246781

Tehsil :Bijnor

District :BIJNOR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 14156 and 16/05/2021 .
2. Reference of application (No. and date) 11804497 and 27/03/2021 .
3. Mr AMIT SHARMA of M/s DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at Dhampur Sugar mills Ltd Distillery Unit, BIJNOR, 246 .

Details of Authorisation

S No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing, etc.	Quantity(ton/annum)
1	Schedule I (Category 5.1)waste oil	TSDF/ Authorized Recyclers	3Ton per Annum

1. The authorization shall be valid for a period of 16/05/2026 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .

6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

1. Unit shall ensure compliance of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
2. Unit shall comply with the provisions of Rule 19 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and send copy of Form 10 regarding Manifest for Hazardous and Other Wastes.
3. Unit shall comply with the provisions of Rule 20 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and submit Annual Returns to State Board in Form IV.

(Authorized Signatory)

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P.Pollution Control Board, BIJNORE for information and necessary action .

CEO/EE, I/C Circle_____