



DHAMPUR

Legacy for tomorrow

Date 05.04.2025

To
Director
Ministry of Environment and Forest
Kendriya Bhawan 5th Floor
Sector H Aliganj
Lucknow 226024

Sub:- Six monthly progress report of Chemical Division up to 31-03-2025

Sir,
We are here with submitting the six monthly point wise progress report of our chemical division along with the data sheet part -1

- | | |
|---|----------|
| 1- Test report of ground water from farmers fields,copy enclosed. | Annex.1 |
| 2- Test report of ground water from pizo well,copy enclosed. | Annex.2 |
| 3- Test report of drinking water,copy enclosed. | Annex.3 |
| 4 – Test report of noise monitoring,copy enclosed | Annex.4 |
| 5 – Test report of ambient air quality,copy enclosed. | Annex.5 |
| 6- Test report of slop boiler of 75 TPH stack monitoring,copy enclosed. | Annex.6 |
| 7- Test report of CPU treated water,copy enclosed. | Annex.7 |
| 8- Balance sheet for the last financial year 2023-2024,copy enclosed. | Annex.8 |
| 9- Public liability insurance is valid up to 12.06.2025,copy enclosed. | Annex.9 |
| 10- Consent of UPGWA,copy enclosed. | Annex.10 |
| 11- Consent to operate of air & water,copy enclosed. | Annex.11 |
| 12- Authorization of Hazardous waste,copy enclosed. | Annex-12 |

This is for your kind information please.

Thanking you
Faithfully Yours

For The Dhampur Sugar Mills LTD.

Authorized Signatory
Enclosures :- As above along with data sheet part 1



DHAMPUR SUGAR MILLS LTD.

Chemical Division, N.Rly. Dist. Bijnor (U.P.) - 246761
+91-1344-220009 | dsmdhampur@dhampursugar.com
www.dhampursugar.com

CIN : L15249UP1933PLC000511

Corp Office : 241, Okhla Phase-III, New Delhi-110020

Regd. Office : P.O Dhampur, Dist. Bijnor - 246761 (UP)

Date 05.04.2025

The Regional Director
Ministry of Environment & Forest
Kendriya Bhawan, 5th Floor
SECTOR "H" Aliganj, Lucknow.

Ref: EC F. No.J 11011/586/2017/A-II (1) dated 20.03.2019

Sub : Environmental Clearance for expansion of our Chemical Divison from 200 KLPD to 350 KLPD at Dhampur Distt.-Bijnor U.P.

Dear Sir,

We are submitting our Compliance Report for the period upto 31.03.2025, as follows:-

SPECIFIC CONDITIONS

Sl.no.	Details of Conditions	Action / Compliance Details
1	The Project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/or any other statutory authority.	The unit will strictly adhere to the stipulations made by the UP State Pollution Control Board (UPPCB), State Government and/or any other Statutory Authority.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, forest and Climate Change. In case of deviation of alteration in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the ministry to assess the adequacy of conditions imposed and to add additional environmental protection measure required, if any.	The unit is strictly adhere with the point and not implemented any change or modification also not willing to take up any further expansion or modifications in the plant without prior approval of the Ministry of Environment, forest and Climate Change.
3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	The Unit has complied with the condition and the locations of ambient air quality monitoring stations have been finalized with the consultation of UPPCB. It has been ensured that one station each is installed in the up-wind and down-wind direction as well as where maximum ground level concentrations are anticipated. The monitoring report are attached with location name.(Annex-5)
4	National Ambient Air Quality Emission The Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009 shall be complied with.	The Unit is complying with standards of National Ambient Air Quality Emission as per the Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009.

5	The Overall Noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA,1986 Rules, 1989 Viz 75 DBA (day time) & 70 dB A (Night time)	The Overall Noise levels in and around the plant area are being kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels are conforming to the standards prescribed under EPA,1986 Rules, 1989 Viz 75 DBA (day time) & 70 dB A (Night time). The monitoring report are attached with parameter of day and night.(Annex-4)
6	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the groundwater and utilize the same for industrial operations within the plant.	The Company has adopted the pond to recharge the ground water.
7	Training shall be imparted to all employees on Safety and Health aspects of Chemicals Handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis.	The Unit has well defined training program. The desired medical records of each employee are also maintained.
8	The Company Shall Comply with all the environmental protection measures and safe guards proposed in the documents submitted to the ministry. All the recommendations made in the EIA/EMP in respect of Environmental Management, Risk mitigation measures and public hearing shall be implemented.	Environmental protection measures are being taken for effective compliance of safeguards recommended in EIA/EMP report.
9	The Company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR Activities shall be undertaken by involving local villagers administrations and other stakeholders. Also eco developmental measures shall be under taken for overall improvement of the environment.	The CSR Activities are finalized at the Corporate level. The unit at Dhampur is also part of CSR Activities as per provisions of the Companies Act. The Unit is undertaking all measures for improving socio-economic conditions of masses in the surrounding area. CSR Activities have undertaken by involving local villagers administrations and other stakeholders. The unit has undertaken E-co developmental measures for overall improvement of the environment.
10	A separate environmental management cell equipped with full-flashed laboratory facilities shall be setup to carry out the environmental management and monitoring functions.	Environmental Management Cell is already in place.

11	The Company shall earmarks sufficient funds towards capital cost & recurring cost per annum to implement the conditions stipulated by the ministry of environment, Forest & Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein, the fund show earmark for environment management, pollution control measures shall not be diverted for any other purpose.	The Company has been allocating adequate funds for Environmental Management and continuously augment the systems.
12	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad, Municipal Corporation, Urban Local Body and the Local NGO, if any from home suggestions, representation, if any, were received by processing the proposal.	The unit has shared a copy of the Enviromental Clearance (EC) to the concerned Panchayat, Zila Parishad, Municipal Corporation, Urban Local Body and the Local NGO. No suggestions or representations have been received.
13	The Project Proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (Both in the hard copy as well email) to the respective regional office of MOEF & CC, the respective zonal office of CPCB & SPCB. A copy of Environment Clearance & Six Monthly Compliance Status report shall be posted on the website of the company.	The Six monthly compliance status report along with data is being submitted UPPCB / CPCB / MOEF. A copy of Environment Clearance & Six Monthly Compliance Status report has been posted on the website https://www.dhampursugar.com .
14	The Environmental Statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of Environmental Clearance conditions & shall also be sent to the Respective Regional Office of MOEF & CC by email.	The unit has been submitted the Environmental Statement for the financial year ended 31st March, 2024 in Form-V as is mandated to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986 as amended subsequently. The same has been put on the website of the company along with the status of compliance of Environmental Clearance conditions & has been also be send to the Respective Regional Office of MOEF & CC by email.

15	<p>The Project Proponent shall inform the public that the project has been accorded environmental clearance by the ministry and copy of the clearance letter are available with the SPCB /Committee and may also be same at website of the ministry at http://moef.nic.in this shall be advertised within seven days from the date of issue of the clearance letter, at least in two newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.</p>	<p>The Environmental Clearance details have already been published in two local newspapers for public information. Copies of the same are attached.</p>
----	--	---

GENERAL CONDITION

Sl. No.	Details	Action Details
1.	Consent to Establish/Operate for the project shall be obtained from the state Pollution Control Board as required under the air (Prevention and Control of Pollution) Act, 1981 and the water (Prevention and Control of Pollution) Act.1974.	The unit has obtained the Consent to Establish/Operate for the project from the UPPCB as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act.1974. The copy of both are attached.(Annex-11)
2.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/Treated water shall be discharged outside premises	The Unit is complying with the condition of Zero Liquid Discharge and no Waste/Treated water is discharged outside premises.
3.	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules. 2016. Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	The unit has authorisation of Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules 2016. Ref.No:14156/UPPCB/Bijnore (UPPCBRO)/HWM/BIJNOR/2021 valid upto 16/05/2026.(Annex-12)
4.	To control source and the fugitive emission, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emission shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines	The Unit has installed high efficiency Filter Bags Scrubber & ESP system with the Stack and SPM has been maintained as per norms below 50 mg/nm3 as per guidelines.The both stack report is attached.
5.	Total fresh water requirement shall not exceed 2275 cum/day proposed to be met from ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	The Unit had obtained NOC from CGWA. Copy of the NOC is attached.(Annex-10)

6.	The spent wash shall be taken to multi effect evaporators (MEE) and the concentrated spent wash shall be incinerated in the boiler along with bagasse.	The unit has installed MEE & Slop Fire Boiler/ Incinerator.
7.	The distillery shall be permitted to operate throughout the year as proposed	The unit is being operated through on the year as per EC,NOC with ZLD system.
8.	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	The unit has a separate area for hazardous chemicals.
9	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	Process organic residue (Ash) sold out to third party for recycling purpose.
10.	The Company shall strictly comply with the rules and guidelines under Manufacture Storage and import of Hazardous chemical (MSIHC) Rules, 1989 as amended time to time all transportation of Hazardous chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	N.A.
11.	<p>The company shall undertake minimization measures as below</p> <p>(i) Metering and control of quantities of active ingredients to minimize waste.</p> <p>(ii) Reuse of by products from the process as raw materials substitutes in other processes.</p> <p>(iii) Use of automated filling to minimize spillage.</p> <p>(iv) Use of close feed system into batch reactors.</p> <p>(v) Venting equipment through vapour recovery systems.</p> <p>(vi) Use of high pressure hoses for equipment clearing to reduced wastewater generation.</p>	The Unit has adequate arrangements.

12.	The green belt of 5-10 m width shall be developed in more than 33% of the total project area mainly along the plant periphery, in downward wind direction, and along road sides etc. selection of plant species shall be as per the CPCB guidelines in consultation with the state Forest Department	Provision of green belt of total plant area has already been taken and plantation has been done as per guidelines and on the advice of DFO . We have planted species of Neem, Pipel, Hase, Simble, Gulmohar, Ashoka etc with consultation of DFO.
13.	All the commitments made regarding issue raised during the public hearing/consultation meeting shall be satisfactory implemented	All suggestions as per public hearings have been implemented.
14.	At least 0.1% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and Item wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	The company is complying with the condition of CSR and decisions are taken at corporate level for all units of the company.
15.	For the DG Sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	The unit have no provision of DG set. In case of power failure, will use the grid supply of UPPCL.
16.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	The Unit has adequate Fire Safety Systems. All precautions are taken for fire hazards.
17	Occupational has surveillance of the workers shall be done on a regular basis & records maintained as per the factories act.	The Unit has its own dispensary where a qualified and experiend Doctor has been posted to take care of employees and their families residing in the Unit premises and also for maintaining helth record of employees. The Unit is also conducting the Health Camp in surrounding villages. A vehicle has been earmarked for any serious case round the clock for taking immediate action in transferring the paient to nearby hospital in the city.
18	There shall be adequate space inside the premises earmarked for parking of vehicles for raw materials & finished products, and no parking to be allowed outside on public places.	The Unit has adequate parking space in the premises for all types of vehicles.
19	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emission.	The Unit has adequate storage facility for the raw material as per rules.

20	Continuous Online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to CPCB and SPCB server for online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Continuous online 24*7 monitoring system for stack emission has been installed and the data already transmitted to CPCB and SPCB servers for online continuous monitoring. The unit has installed Web Camera with night vision capacity and data transmitted to SPCB Servers for continuous monitoring. The Unit has also installed mass flow meter at inlet and outlet of effluent within the premises.
21	CO2 generated from the process shall be bottled/made solid ice and sold to authorized vendors	The Unit has adequate arrangement.

We assure you that we are conscious to our Environmental and Social responsibilities and also committed towards creating a clean and safe environment in an around manufacturing facility and continue to update and improve the Systems. Kindly acknowledge the receipt. We shall promptly provide if any further information or clarification is required.

.For Dhampur Sugar Mills Ltd. Dhampur

(Chemical Division)

(Authorised Signatory)



C.C. :

- 1- The Chief Environmental Officer Circle -7, Uttar Pradesh Pollution Control Board.
- ✓ 2- The Regional Officer Bijnor, Uttar Pradesh Pollution Control Board.

**MONITORING REPORT
PART-I
DATA SHEET**

1.	Project Type	Chemical Industry
2.	Name of Project	Dhampur Sugar Mills Limited Chemical Division
3.	Clearance letter/OM No. & Date	20.03.2019
4.	Location District State Latitude/Longitude	Dhampur BIJNOR Uttar Pradesh 29.3080°N 78.50333°E
5.	Address for Concerned project	Dhampur Sugar Mills Ltd. Dhampur Distt. Bijnor U.P 246761
	Address of Project Incharge	Mr. Subhash Pandey Dhampur Sugar Mills Ltd. Dhampur Distt. Bijnor U.P 246761
6.	Salient Features	
(a)	of the Project	(a) Molasses/Grain based distillery. (b) Plant Capacity- Installed capacity 350 KL (c) Water consumption – 5.0 m3/KL (d) Waste water Generation – 5.5 m3/KL (e) Waste water discharge - NIL (f) Waste water Treatment system – CPU +MEE + Slop Boiler of 75 & 55 TPH.
(b)	of the Environmental Management Plant	Distillery is based on Zero Liquid Discharge (ZLD) technology in which 100% concentrated spent wash is consumed in the Slope Boiler and slope generated from grain plant is being dried in Dryer to produce DDGS as by product.
7.	Breakup of the Project area	For plant & machinery - Approx 160000 sqm
8.	Breakup of the project affected population with enumeration of those losing houses/dwelling unit only units and agricultural land less laboureres/artisans. (a) SC/ST Adivasis (b) Others (c) Number of villages affected (d) Name and other particulars of identified area for settlement (e) Compensation package (f) Budget (g) Status	----- Not applicable -----

9.	Financial details	
(a)	Project cost of originally planned subsequent revised estimated and the years of price reference.	Balance sheet enclosed
(b)	Allocations made for Environment Management plans, with item wise and year wise breakup.	<p>1997-1998 - 800.00 Lacs</p> <p>2008-2012 - 2200.00 Lacs</p> <p>2014-2017 - 1800.00 Lacs</p> <p>2017-2018 - 70.00 Cr. For one new MEE & Incineration boiler of 75 TPH Rs. 2.40 crores for installation of CPU for the treatment of condensate water costing Rs. 1.55 crores and UET for the treatment of cooling water blow down costing 85 Lacs. (Further allocation of 4.00 Cr for future planning.) We have invested an amount of Rs. 5.00crores including the allocated amount of Rs 4.00 crores for integrated MEE. Additional investment of 16.61 Crores has been done on installation of Falling film Evaporator of 2150 Ton,CPU modification & decanters during 2019-2020.</p> <p>2020-2021-The unit has been installed 4500 KLD CPU plant with biological system having cost of 14 crore.</p> <p>2022-2023 -The unit has been installed 55 TPH slope boiler having cost of 60 crore and also installed the dryer of 50 Ton capacity having cost 4.0 crore for slope consumption for Grain plant.</p>
(c)	Benefit cost ratio/internal rate of return and the year of assessment.	Balance sheet for the year 2023-24 is enclosed.
(d)	Whether (c) includes the cost of environmental management as shown in (b) above.	Yes
(e)	Actual expenditure incurred on the Environmental Management plan so far.	Actual expenditure incurred on Environmental Management control measures during the year are Rs. 226.41 Crore
10.	<p>Forest and requirement</p> <p>(a) The status of approval for a diversion of forest land for forest use.</p> <p>(b) The status of compensatory afforestations, if any.</p> <p>(c) The status of clear felling.</p> <p>(d) Comments on the viability & sustainability of compensatory afforestation programme in the light of actual field experience so far.</p>	----- Not Applicable -----
11.	The status of clear felling in non forest are.	----- Not Applicable -----
12.	Status of construction :	
(a)	Date of Commencement (actual and / of planned).	At present Distillery at 350 KLPD @ C heavy from feb 2023,capcity commissioned
(b)	Date of Completion (actual and / or planned).	1990-91
13.	Compliance report on Environmental clearance conditions.	Enclosed herewith

TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	GW-250320/004
Test Report No.	:	GEL-2503/1426
ULR Number	:	TC-718625000001209F
Date of Issue	:	25.03.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	20.03.2025
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM NINDRU)
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.52	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<1.0	1(max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	15.2	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	264	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	38	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	64.2	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	139	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	120	200 (max.)	600 (max.)

(Checked By)
INTEKHAB KHAN (Technical Manager)



SHIKHA BHATIYA
(Authorized Signatory)



Test Report No.: GEL-2503/1425

ULR Number: TC-718625000001208F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample


(Checked By) *Tanu*
TANU CHAUDHARY (Analyst)

Note: 1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission
 4. Subject to Ghaziabad Jurisdiction only.

Monica Singh
MONICA SINGH
 (Authorized Signatory)




END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	GW-250320/005
Test Report No.	:	GEL-2503/1427
ULR Number	:	TC-718625000001210F
Date of Issue	:	25.03.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	20.03.2025
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM SARKRA)
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.55	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<1.0	1 (max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	18.8	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	279	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	36	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	72	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	144	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	124	200 (max.)	600 (max.)

(Checked By)
INTEKHAB KHAN (Technical Manager)



SHIKHA BHATIYA
(Authorized Signatory)



Test Report No.: GEL-2503/1427

ULR Number: TC-718625000001210F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

(Checked By) *Tanu*
TANU CHAUDHARY (Analyst)

Note: 1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

Monica Singh
MONICA SINGH
 (Authorized Signatory)




END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	GW-250320/006
Test Report No.	:	GEL-2503/1428
ULR Number	:	TC-718625000001211F
Date of Issue	:	25.03.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	20.03.2025
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM HARRA)
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS						
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.50	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<1.0	1 (max.)	5(max.)
GENERAL PARAMETERS						
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	17.2	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	288	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	38	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	75	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	102	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	90	200 (max.)	600 (max.)


 (Checked By)
 INTEKHAB KHAN (Technical Manager)




 SHIKHA BHATIYA
 (Authorized Signatory)



Test Report No.: GEL-2503/1428

ULR Number: TC-718625000001211F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample


(Checked By) *Tanu*
TANU CHAUDHARY (Analyst)

Note: 1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.


MONICA SINGH
 (Authorized Signatory)



END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	GW-250320/007
Test Report No.	:	GEL-2503/1429
ULR Number	:	TC-718625000001212F
Date of Issue	:	25.03.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	20.03.2025
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (BOREWELL FROM JOGIPURA)
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.61	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<1.0	1 (max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	15.2	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	294	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	38	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	80	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	116	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	94	200 (max.)	600 (max.)

(Checked By)
INTEKHAB KHAN (Technical Manager)



SHIKHA BHATIYA
(Authorized Signatory)



Test Report No.: GEL-2503/1429

ULR Number: TC-718625000001212F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample


(Checked By) *Tanu*
TANU CHAUDHARY (Analyst)

- Note:**
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT


MONICA SINGH
 (Authorized Signatory)



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	GW-250320/003
Test Report No.	:	GEL-2503/1425
ULR Number	:	TC-718625000001208F
Date of Issue	:	25.03.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER (UNTREATED)
Sample Collection Date	:	20.03.2025
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	GROUND WATER (PIEZOWELL WATER)
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	pH	-	IS:3025 (Part 11): 2022	7.66	6.5-8.5	No relaxation
2	Turbidity	NTU	IS:3025 (Part 10): 2023	<1.0	1(max.)	5(max.)

GENERAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
3	Total Suspended Solids	mg/L	IS 3025 (Part 17) : 2022	12	Not Specified	Not Specified
4	Total Solids (TS)	mg/L	APHA 2540B 24 th Edition : 2023	284	Not Specified	Not Specified
5	Sodium	mg/L	IS 3025 (Part 45) : 1993 (RA 2019)	52	Not Specified	Not Specified
6	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	68.4	250(max.)	1000(max.)
7	Total Hardness	mg/L	IS 3025 (Part 21):2009 (RA: 2023)	142	200 (max.)	600 (max.)
8	Total Alkalinity	mg/L	IS 3025 (Part 23) : 2023	118	200 (max.)	600 (max.)

(Checked By)
 INTEKHAB KHAN (Technical Manager)



SHIKHA BHATIYA
 (Authorized Signatory)



Test Report No.: GEL-2503/1425

ULR Number: TC-718625000001208F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

(Checked By) *Tanu*
TANU CHAUDHARY (Analyst)

Note: 1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

Monica Singh
MONICA SINGH
 (Authorized Signatory)



END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	DW-250320/008
Test Report No.	:	GEL-2503/1424
ULR Number	:	TC-718625000001207F
Date of Issue	:	25.03.2025
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-C/45
Type of Sample	:	DRINKING WATER
Sample Collection Date	:	20.03.2025
Sample Collected by	:	GEL STAFF
Sample Quantity	:	2.0 LTR + 500 ML
Sample Description	:	LIQUID
Sampling Location	:	R.O. WATER
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULT

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
1	Colour	HZN	IS:3025(Part 4): 2021	<5	5 (max.)	15 (max.)
2	Odour	---	IS:3025 (Part 5): 2018	Agreeable	Agreeable	Agreeable
3	pH	---	IS:3025 (Part 11): 2022	6.90	6.5-8.5	No relaxation
4	Turbidity	NTU	IS:3025 (Part 10): 2023	<1.0	1(max.)	5(max.)
5	Total Dissolved Solids (TDS)	mg/L	IS:3025 (Part 16): 2023	116	500 (max.)	2000 (max.)

GENERAL PARAMETERS


S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	DRINKING WATER STANDARDS/LIMIT (IS: 10500:2012) (RA 2023)	
					ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
6	Calcium	mg/L	IS 3025 (Part 40): 1991	12.4	75(max.)	200(max.)
7	Chloride	mg/L	IS 3025 (Part 32):1988 (RA 2019)	18	250(max.)	1000(max.)
8	Fluoride (F)	mg/L	APHA-4500 F-D (24 th Edition):2023	BDL(DL-0.1)	1.0 (max.)	1.5 (max.)
9	Residual, Free Chlorine(RFC)	mg/L	IS 3025 (Part 26): 2021	BDL(DL-0.1)	0.2 (min.)*	1.0 (min.)*
10	Magnesium (Mg)	mg/L	IS 3025 (Part 46):2023	7.5	30(max.)	100(max.)
11	Sulphate (SO ₄)	mg/L	IS 3025 (Part 24): Sec 1:2022	8.2	200 (max.)	400 (max.)
12	Total Hardness	mg/L	IS 3025 Part 21:2009 (RA: 2023)	62	200 (max.)	600 (max.)
13	Iron (Fe)	mg/L	IS 3025 : Part 53: 2024	0.06	1.0(max.)	No Relaxation

BDL: Below Detection Limit. DL: Detection Limit. *Limit to be Applicable only when water is chlorinated.

(Checked By)
 INTEKHAB KHAN (Technical Manager)



SHIKHA BHATIA
 (Authorized Signatory)



Test Report No.: GEL-2503/1424

ULR Number: TC-718625000001207F

BACTERIOLOGICAL PARAMETERS					
S.NO.	PARAMETER	UNIT	TEST METHOD	RESULT	REQUIREMENTS (IS: 10500:2012) (RA 2023)
14	E.coli	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample
15	Total Coliform	Per100ml	IS:15185:2016 (RA 2021)	Absent	Shall not be detectable in 100ml sample

(Checked By) *Tanu*
TANU CHAUDHARY (Analyst)

Note: 1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples & 7 days for biological samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.


MONICA SINGH
 (Authorized Signatory)



END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-250320/0021
Test Report No.	:	GEL-2503/1432
ULR Number	:	TC-718625000001214F
Date of Issue	:	25.03.2025
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Instrument Collection Date	:	20.03.2025
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	20.03.2025
Monitoring Location	:	NEAR MEE PLANT AREA
Monitoring Duration	:	19.03.2025 (06:00 AM) To 20.03.2025 (06:00 AM)

S. No.	Parameter	Noise Level dB(A) (Day Time) (06:00am-10:00 pm.)	Noise Level dB(A) (Night Time) (10:00pm-06: 00am)
1.	L _{MAX}	72.6	63.9
2.	L _{MIN}	62.5	54.4
3.	Avg. L _{eq}	68.1	59.8

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)


3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.

SHIKHA BHATTIA
(Authorized Signatory)



END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-250320/0022
Test Report No.	:	GEL-2503/1433
ULR Number	:	TC-718625000001215F
Date of Issue	:	25.03.2025
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Instrument Collection Date	:	20.03.2025
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	20.03.2025
Monitoring Location	:	NEAR GRAIN PLANT AREA
Monitoring Duration	:	19.03.2025 (06:00 AM) To 20.03.2025 (06:00 AM)

S. No.	Parameter	Noise Level dB(A) (Day Time) (06:00am-10:00 pm.)	Noise Level dB(A) (Night Time) (10:00pm-06: 00am)
1.	L _{MAX}	70.4	62.5
2.	L _{MIN}	60.9	51.7
3.	Avg. L _{eq}	66.2	58.2

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)


3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT


SHIKHA BHATIYA
(Authorized Signatory)



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-250320/0023
Test Report No.	:	GEL-2503/1434
ULR Number	:	TC-718625000001216F
Date of Issue	:	25.03.2025
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Instrument Collection Date	:	20.03.2025
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	20.03.2025
Monitoring Location	:	MAIN CHEMICAL GATE AREA
Monitoring Duration	:	19.03.2025 (06:00 AM) To 20.03.2025 (06:00 AM)

S. No.	Parameter	Noise Level dB(A) (Day Time) (06:00am-10:00 pm.)	Noise Level dB(A) (Night Time) (10:00pm-06: 00am)
1.	L _{MAX}	72.9	63.1
2.	L _{MIN}	61.4	52.7
3.	Avg. L _{eq}	68.3	58.4

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)


3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT

SHIKHA BHATIYA
 (Authorized Signatory)



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SL-250320/0024
Test Report No.	:	GEL-2503/1435
ULR Number	:	TC-718625000001217F
Date of Issue	:	25.03.2025
Monitoring Method	:	GEL/SOP-C/48
Monitoring Description	:	AMBIENT NOISE LEVEL
Instrument Used for Monitoring	:	NOISE METER
Instrument Collection Date	:	20.03.2025
Monitoring done by	:	GEL STAFF
Date of Sample Receipt	:	20.03.2025
Monitoring Location	:	NEAR BAGASSE YARD
Monitoring Duration	:	19.03.2025 (06:00 AM) To 20.03.2025 (06:00 AM)

S. No.	Parameter	Noise Level dB(A) (Day Time) (06:00am-10:00 pm.)	Noise Level dB(A) (Night Time) (10:00pm-06: 00am)
1.	L _{MAX}	73.3	64.9
2.	L _{MIN}	62.7	53.1
3.	Avg. L _{eq}	68.6	59.2

CPCB Standard	(For Day Time)	(For Night Time)
Industrial Area	75 dB(A)	70 dB(A)
Residential Area	55 dB(A)	45 dB(A)
Commercial Area	65 dB(A)	55 dB(A)
Silence Zone	50 dB(A)	40 dB(A)



(Checked By)
INTEKHAB KHAN (Technical Manager)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after completion of analysis (15 days for chemical samples)
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.


SHIKHA BHATIYA
(Authorized Signatory)



END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-250320/007
Test Report No.	:	GEL-2503/1429
ULR Number	:	TC-718625000001211F
Date of Issue	:	25.03.2025
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	19.03.2025 TO 20.03.2025
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS + BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	NEAR MEE PLANT AREA
Sample Collection Date	:	20.03.2025
Ambient Temperature (K)	:	309
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	*LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	97	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	58	60*	IS:5182(part-24):2019
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	16.8	80*	IS:5182(part-2):2001 (RA:2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	36.6	80*	IS:5182(part-6):2006 (RA:2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	1.09	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004
7.	Ammonia	[µg/m ³]	25	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	37	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004 (RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

**CPCB'S specification for Ambient Air Quality for 1.0 hours.

BDL : Below Detection Limit. DL: Detection Limit.

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)

3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.



END OF REPORT

SHIKHA BHATIYA
(Authorized Signatory)



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-250320/008
Test Report No.	:	GEL-2503/1430
ULR Number	:	TC-718625000001212F
Date of Issue	:	25.03.2025
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	19.03.2025 TO 20.03.2025
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS + BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	NEAR GRAIN PLANT AREA
Sample Collection Date	:	20.03.2025
Ambient Temperature (K)	:	308
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	*LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	96	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	55	60*	IS:5182(part-24):2019
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	15.2	80*	IS:5182(part-2):2001 (RA:2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	34.1	80*	IS:5182(part-6):2006(RA:2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	1.02	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004
7.	Ammonia	[µg/m ³]	21	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	32	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004(RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

**CPCB'S specification for Ambient Air Quality for 1.0 hours.

BDL : Below Detection Limit. DL: Detection Limit.

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)

3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.

SHIKHA BHATIYA
(Authorized Signatory)



END OF REPORT

TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-250320/009
Test Report No.	:	GEL-2503/1430
ULR Number	:	TC-718625000001212F
Date of Issue	:	25.03.2025
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	19.03.2025 TO 20.03.2025
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS + BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	MAIN CHEMICAL GATE AREA
Sample Collection Date	:	20.03.2025
Ambient Temperature (K)	:	309
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	*LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	98	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	56	60*	IS:5182(part-24):2019
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	17.1	80*	IS:5182(part-2):2001 (RA:2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	37.5	80*	IS:5182(part-6):2006 (RA:2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	1.06	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004
7.	Ammonia	[µg/m ³]	23	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	34	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004 (RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

**CPCB'S specification for Ambient Air Quality for 1.0 hours.

BDL : Below Detection Limit. DL: Detection Limit.

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)

3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.

SHIKHA BHATIYA
(Authorized Signatory)



END OF REPORT

TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	AA-250320/0010
Test Report No.	:	GEL-2503/1431
ULR Number	:	TC-718625000001213F
Date of Issue	:	25.03.2025
Sampling Method	:	GEL/SOP-C/44
Testing Location	:	PERMANENT FACILITY
Sample Description	:	AMBIENT AIR
Sampling Duration	:	19.03.2025 TO 20.03.2025
Sample Collected by	:	GEL STAFF
Instrument Used For Sampling	:	RDS WITH GASEOUS ATTACHMENT + FPS + BENZENE SAMPLER+ CO ANALYZER
Sampling Location	:	NEAR BAGASSE YARD
Sample Collection Date	:	20.03.2025
Ambient Temperature (K)	:	309
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULTS

S. No.	PARAMETER	UNIT	RESULT	*LIMIT	TEST METHOD
1.	Particulate Matter (Size <10 µm)	[µg/m ³]	94	100*	IS:5182(part-23):2006 (RA:2022)
2.	Particulate Matter (Size <2.5 µm)	[µg/m ³]	53	60*	IS:5182(part-24):2019
3.	Sulphur Dioxide (as SO ₂)	[µg/m ³]	14.9	80*	IS:5182(part-2):2001 (RA:2022)
4.	Nitrogen Dioxide (as NO ₂)	[µg/m ³]	30.6	80*	IS:5182(part-6):2006(RA:2022)
5.	Carbon Monoxide (CO)	[mg/m ³]	1.01	4**	IS:5182(part-10):1999 (RA:2019)
6.	Lead	[µg/m ³]	BDL(DL-0.05)	1.0*	IS:5182(part-22):2004
7.	Ammonia	[µg/m ³]	22	400*	IS:5182(part-25):2018
8.	Ozone	[µg/m ³]	30	180**	IS:5182(part-9):1974 (RA :2019)
9.	Benzene	[µg/m ³]	BDL(DL-1.0)	5*	IS:5182(part-11):2006 (RA :2022)
10.	Benzo (a) Pyrene	[ng/m ³]	BDL(DL-0.5)	1*	IS:5182(part-12):2004(RA: 2019)
11.	Arsenic	[ng/m ³]	BDL(DL-0.2)	6*	CPCB NAAQS Manual Volume 1:2011
12.	Nickel	[ng/m ³]	BDL(DL-0.5)	20*	IS:5182(part-26):2020

*CPCB'S specification for Ambient Air Quality for 24 hours.

**CPCB'S specification for Ambient Air Quality for 1.0 hours.

BDL : Below Detection Limit. DL: Detection Limit.

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)

3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.

SHIKHA BHATIYA
(Authorized Signatory)



END OF REPORT

TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	SE-250320/0016
Test Report No.	:	GEL-2503/1422
ULR Number	:	TC-718625000001205F
Date of Issue	:	25.03.2025
Sampling Method	:	GEL/SOP-C/46
Testing Location	:	PERMANENT FACILITY
Monitoring Description	:	STACK EMISSION FROM - BOILER -75 TPH
Sample Collection Date	:	20.03.2025
Instrument Used For Sampling	:	STACK SAMPLER
Sampling Duration	:	3600 sec
Sample Collected by	:	GEL STAFF
Sampling Location	:	PORT HOLE
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

SAMPLE SOURCE DETAILS

Type & Consumption of Fuels	:	FEED BAGASSE & SPENTWASH
Stack Height (From Ground level)	:	84.0 meter
Stack Height (From Roof level)	:	-
Stack Diameter (at Port Hole)	:	3000 mm
Stack Temperature (K)	:	378
Ambient Temperature (K)	:	309
Average Velocity [m/sec.]	:	6.7
Flow Rate of SPM [LPM]	:	22.0
Flow Rate of Gases [LPM]	:	2.0
Quantity of emission(Nm ³ /Hr)	:	134342.7
APCS	:	BAG FILTER

ANALYSIS RESULT

S No.	PARAMETER	UNIT	RESULT	*LIMIT	TEST METHOD
1.	PARTICULATE MATTER (at 12% CO ₂ Correction)	[mg/Nm ³]	40	150	IS:11255(part-1): 1985 (RA:2019)
2.	OXIDES OF NITROGEN	[mg/Nm ³]	17.6	Not Specified	IS:11255(part-7):2005 (RA:2022)
3.	SULPHUR DIOXIDE	[mg/Nm ³]	5.8	Not Specified	IS:11255(part-2):1985 (RA:2019)
4.	CARBON MONOXIDE	% By Volume	BDL	Not Specified	IS 13270 : 1992 (RA 2024)

*CPCB Emission Standard. BDL: Below Detection Limit.

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)


3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.

ARVIND KUMAR SRIVASTAVA
(Authorized Signatory)



END OF REPORT



TEST REPORT

ISSUED TO	:	M/S. DHAMPUR SUGAR MILLS LTD. (CHEMICAL UNIT) NORTHERN RAILWAY, DISTRICT: - BIJNORE (U.P.)
Sample Identification No.	:	WW-250320/009
Test Report No.	:	GEL-2503/1423
ULR Number	:	TC-718625000001206F
Date of Issue of the Report	:	25.03.2025
Sampling Method	:	GEL/SOP-C/45
Testing Location	:	PERMANENT FACILITY
Type of Sample	:	EFFLUENT WATER (TREATED WATER)
Sample Collection Date	:	20.03.2025
Sample Collected by	:	GEL STAFF
Sampling Location	:	CPU OUTLET
Sample Quantity	:	2.0 LTR
Sample Description	:	LIQUID
Date of Sample Receipt	:	20.03.2025
Sample Condition	:	SEALED
Analysis Duration	:	20.03.2025 To 25.03.2025

ANALYSIS RESULT

S. NO.	PARAMETER	UNIT	RESULT	*LIMIT	TEST METHOD
1.	pH	-	7.40	5.5 -9.0	IS:3025(part-11): 2022
2.	Total Suspended Solids	mg/L	BDL(DL-4.0)	100	IS:3025(part-17): 2022
3.	Chemical Oxygen Demand	mg/L	90	250	IS:3025(part-58):2006
4.	Total Hardness	mg/L	58	Not Specified	IS:3025(part-21): 2009 (RA 2019)
5.	Colour	Hazen	<5	-	IS:3025(Part-4):2021
6.	Electrical Conductivity	µs/cm	260	Not Specified	IS:3025(Part-14):2013

*CPCB General standard for discharge of Environmental Pollution.(EP Act-1986 -Schedule-VI)
BDL : Below Detection Limit. DL: Detection Limit

(Checked By)

INTEKHAB KHAN (Technical Manager)

Note: 1. The results listed refer only to the tested samples and applicable parameters.

2. The samples will be destroyed after completion of analysis (15 days for chemical samples)

3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.

4. Subject to Ghaziabad Jurisdiction only.

SHIKHA BHATIYA
(Authorized Signatory)



END OF REPORT



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
BALANCE SHEET AS AT March 31, 2024

(Amount in ₹)

	Particulars	Note No.	As At March 31, 2024	As At March 31, 2023
	ASSETS			
(1)	Non - Current Assets			
	(a) Property, plant and equipment	1	2,06,37,47,645	1,85,79,40,966
	(b) Capital work - in - progress		-	38,14,53,677
	(c) Financial assets			
	(i) Loans	2	37,72,500	2,30,000
	(d) Other non - current assets	4(i)	65,15,315	80,72,556
	Sub total (Non current assets)		2,07,40,35,460	2,24,76,97,199
(2)	Current Assets			
	(a) Inventories	5	50,82,01,559	1,35,04,30,788
	(b) Financial assets			
	(i) Trade receivables	6	39,26,97,299	1,17,76,38,897
	(ii) Cash and cash equivalents	7	10,000	27,34,879
	(iii) Bank Balances other than cash and cash equivalents	8	5,17,45,000	5,77,63,506
	(iv) Others	3	10,99,837	45,68,723
	(c) Other current assets	4(ii)	15,42,00,762	19,25,88,193
	(d) Current Tax Asset		78,26,086	70,97,625
	Sub total (Current assets)		1,11,57,80,543	2,79,28,22,611
	Total assets		3,18,98,16,003	5,04,05,19,810
	EQUITY AND LIABILITIES			
	EQUITY			
	(a) Head office balance	9	1,55,09,38,701	3,34,41,81,502
	(b) Other equity	10	28,07,83,389	28,07,83,389
	Sub total (Equity)		1,83,17,22,090	3,62,49,64,891
	LIABILITIES			
(1)	Non - current liabilities			
	(a) Financial liabilities			
	(i) Borrowings	11(i)	84,00,00,000	89,50,49,666
	(b) Provisions	15(i)	3,54,34,723	3,17,06,947
	(c) Other non - current liabilities	14(i)	-	5,14,393
	Sub total (Non current liabilities)		87,54,34,723	92,72,71,006
(2)	Current liabilities			
	(a) Financial liabilities			
	(i) Borrowings	11(ii)	31,39,65,888	13,52,29,650
	(ii) Trade payables	12	11,42,03,660	17,22,96,667
	(iii) Other financial liabilities	13	2,40,95,245	6,42,52,035
	(b) Other current liabilities	14(ii)	2,18,96,504	10,87,63,760
	(c) Provisions	15(ii)	84,97,893	77,41,801
	Sub total (Current liabilities)		48,26,59,190	48,82,83,913
	Total Equity & Liabilities		3,18,98,16,003	5,04,05,19,810

The accompanying notes form an integral part of the financial statements

0 -0

Signed For Identification
For Mittal Gupta & Co
Chartered Accountants

Ajay Kumar Rastogi
Chartered Accountants
Membership No. 071426



Vikas Agarwal
C.G.M. (F & A)

Subhash Pandey
Executive Director

Place : New Delhi
Dated: 01-05-2024



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
STATEMENT OF PROFIT AND LOSS FOR THE YEAR ENDED MARCH 31, 2024

(Amount in ₹)

	Particulars	Note No.	Year ended March 31, 2024	Yaer Ended Mar 31, 2023
I	Revenue from operations	16	8,12,24,33,173	8,98,45,42,968
II	Other income	17	50,08,895	1,76,81,808
	Total income (I + II)		8,12,74,42,068	9,00,22,24,776
III	Expenses			
	Cost of materials consumed	18	5,54,16,07,505	6,51,02,99,434
	Changes in inventories of finished goods, stock - in - trade and work - in - progress	19	16,72,78,240	(9,20,62,164)
	Employee benefits expenses	20	9,36,27,586	8,01,76,539
	Finance costs	21	5,52,37,706	4,01,66,103
	Depreciation and amortization expenses	1	15,03,59,980	13,02,91,396
	Other expenses	22	93,45,69,023	82,63,06,266
	Total expenses (III)		6,94,26,80,038	7,49,51,77,574
V	Profit / (loss) before exceptional items and tax (III - IV)		1,18,47,62,030	1,50,70,47,202
VI	Other comprehensive income			
	A (ii) Items that will not be reclassified to profit or loss			
	Cash Flow Hedge		3,14,250	-3,14,250
VII	Total comprehensive income for the period		1,18,50,76,280	1,50,67,32,952

The accompanying notes form an integral part of the financial statements

Signed For Identification

For Mittal Gupta & Co

Chartered Accountants

Ajay Kumar Rastogi

Chartered Accountants

Membership No. 071426

Place : New Delhi

Dated: 01-05-2024

Vikas Agarwal
C.G.M. (F & A)


Subhash Pandey
Executive Director



DHAMPUR SUGAR MILLS LIMITED
UNIT: DSM CHEMICALS
Notes to Financial Statements

"1" - Property, plant & equipment

Particulars	Land	Building	Roads	Plant & Equipments	Furniture & Fixtures	Computers	Office Equipments	Lab Equipment	Electrical Installation	Hydraulic	(Amo) Total
Gross Carrying Cost											
As on 01-04-2023	28,73,30,000	1,46,54,548	1,16,97,525	2,70,49,26,220	61,864	17,16,789	7,85,847	1,04,95,448	2,22,02,729	2,21,67,428	3,07,67,428
Additions	-	-	-	44,33,73,735	-	-	(46,874)	-	-	-	44,33,73,735
Disposals	-	-	-	(2,65,32,711)	-	-	-	-	-	-	(2,65,32,711)
Inetrunit transfer	-	-	-	(18,78,63,619)	-	-	-	-	-	-	(18,78,63,619)
As at 31-03-2024	28,73,30,000	1,46,54,548	1,16,97,525	2,93,39,03,625	61,864	17,16,789	7,38,973	1,04,95,448	2,22,02,729	2,21,67,428	3,30,44,111
Depreciation											
As on 01-04-2023	-	98,87,383	1,12,42,108	1,14,34,18,481	53,370	15,15,565	3,02,974	1,03,46,408	2,07,33,952	2,05,97,191	1,21,80,191
Charges for the Year	-	3,73,582	-	14,97,16,010	1,472	56,802	1,43,847	-	39,395	28,872	15,00,000
Disposals	-	-	-	(2,52,06,075)	-	-	(29,871)	-	-	-	(2,52,06,075)
Inetrunit transfer	-	-	-	(10,20,00,182)	-	-	-	-	-	-	(10,20,00,182)
As at 31-03-2024	-	1,02,60,965	1,12,42,108	1,16,59,28,234	54,842	15,72,367	4,16,950	1,03,46,408	2,07,73,347	2,06,26,063	1,24,11,111
Net Carrying Cost											
As at 31-03-2024	28,73,30,000	43,93,583	4,55,417	1,76,79,75,391	7,022	1,44,422	3,22,023	1,49,040	14,29,382	15,41,365	2,06,33,365
As at 01-04-2023	28,73,30,000	47,67,165	4,55,417	1,56,15,07,739	8,494	2,01,224	4,82,873	1,49,040	14,68,777	15,70,237	1,85,70,237



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"2" Financial Assets - Loans and Advances
Long term loans and advances

Particulars	As At March 31, 2024	As at March 31, 2023
Unsecured, considered good		
Security deposits		
- to others	37,72,500	2,30,000
Total	37,72,500	2,30,000

(Amount in ₹)

"3" - Other Financial assets
Other Current Financial assets

Particulars	As At March 31, 2024	As at March 31, 2023
Interest Receivable	10,99,837	45,68,723
Total	10,99,837	45,68,723

(Amount in ₹)

"4" - Other Assets
(i) Other Non-Current Assets


Particulars	As At March 31, 2024	As at March 31, 2023
Capital Advance	9,56,122	25,13,363
Tax under Protest	55,59,193	55,59,193
Total	65,15,315	80,72,556

(Amount in ₹)

(ii) Other Current Assets

Particulars	As At March 31, 2024	As at March 31, 2023
Capital Advance	3,48,784	84,27,882
Advance to Suppliers	1,42,157	-
Advances to employees	6,87,27,414	14,15,51,326
Balance with Revenue authorities	2,11,04,946	1,32,47,247
Prepaid Expenses	6,38,77,461	2,93,61,738
Subsidy Receivable		
Total	15,42,00,762	19,25,88,193

(Amount in ₹)



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"5" - Inventories

Particulars	As At March 31, 2024	As at March 31, 2023
Raw materials		
Molasses	30,34,43,644	97,09,48,306
Goods-in-process	2,87,00,936	3,68,74,388
Finished goods	15,11,63,230	32,02,53,832
Stores & Spare parts	2,48,93,749	2,23,54,262
Total	50,82,01,559	1,35,04,30,788

Inventories have been valued on the following basis :

- Raw material, process chemicals, stores, spares and packing material are carried at weighted average cost.
- Work in progress, traded and finished goods (other than by products and scraps) are measured at lower of cost or net realizable value.
- By products and scrap are carried at estimated Net Realizable Value.
- Cost of finished goods and work in progress comprises of raw material cost (net of realizable value of e) Net realisable value (NRV) is the estimated selling price in the ordinary course of business less estimated costs of completion and the estimated costs necessary to make the sale.

"6" - Trade receivables

Particulars	As At March 31, 2024	As at March 31, 2023
Trade Receivables (Other than Related party)		
- Unsecured, considered good - From Others	39,26,97,299	1,17,76,38,897
Total	39,26,97,299	1,17,76,38,897

"7" - Cash and cash equivalents

Particulars	As At March 31, 2024	As at March 31, 2023
Cash and cash equivalents		
Balances with banks :		
- On Current Account	10,000	27,34,879
Total	10,000	27,34,879



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements
"8" - Bank Balances other than cash and cash equivalents

Particulars	As At March 31, 2024	As at March 31, 2023
Other bank balances :		
Fixed Deposits Earmarked	5,17,45,000	5,77,63,506
Total	5,17,45,000	5,77,63,506

(Amount in ₹)

"9" - Head Office Account

Particulars	As At March 31, 2024	As at March 31, 2023
Head office balance	36,58,62,420	1,83,74,48,550
Add : Profit for the year	1,18,47,62,031	1,50,70,47,202
Less : Cash Flow Reserve	3,14,250	-3,14,250
Total	1,55,09,38,701	3,34,41,81,502

(Amount in ₹)

"10" - Other Equity

Particulars	As At March 31, 2024	As at March 31, 2023
Retained Earnings	28,07,83,389	28,07,83,389
Total	28,07,83,389	28,07,83,389

(Amount in ₹)

"11" - Financial Liabilities
(i) Long Term Borrowings

Particulars	As At March 31, 2024	As at March 31, 2023
Term Loan (Secured)		
Ruppee term loans from banks	84,00,00,000	87,63,66,812
Ruppee term loans from SDF	0	1,86,82,854
TOTAL	84,00,00,000	89,50,49,666

(Amount in ₹)

(ii) Short Term Borrowings

Particulars	As At March 31, 2024	As at March 31, 2023
Short term loans and advances (unsecured)		
Cash Credits from Bank	2,37,83,014	6,70,230
Current maturities of long term borrowings	29,01,82,874	13,45,59,420
Total	31,39,65,888	13,52,29,650

(Amount in ₹)

Handwritten signature


DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"12" - Trade payables
(i) Current Liabilities

		(Amount in ₹)	
Particulars	As At March 31, 2024	As at March 31, 2023	
Trade payables			
Total outstanding due of micro enterprises and small enterprises	82,61,917	2,78,48,066	
Total outstanding due of creditors other than micro enterprises and small enterprises	10,59,41,743	14,44,48,601	
Total	11,42,03,660	17,22,96,667	

"13" - Other Financial Liabilities
(i) Current Liabilities

		(Amount in ₹)	
Particulars	As At March 31, 2024	As at March 31, 2023	
Employee Benefits			
- Bonus	30,86,803	2,971	
- Salary and Wages	35,56,491	50,40,902	
Advances to employees	-	1,09,500	
Interest accrued on MSME	5,04,122	5,04,122	
Interest Accrued but not due on borrowings	45,333	1,24,233	
Security Deposits	1,31,327	25,31,327	
Unpaid Liabilities	1,67,71,169	5,56,24,730	
Carried at fair value through other comprehensive Income			
Derivative liability	-	3,14,250	
Total	2,40,95,245	6,42,52,035	



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

"14" - Other Liabilities

(i) Non-Current Liabilities

Particulars	As At March 31, 2024	As at March 31, 2023
Deferred Govt. Grants	-	5,14,393
Total	-	5,14,393

(Amount in ₹)

(ii) Current Liabilities

Particulars	As At March 31, 2024	As at March 31, 2023
Deferred Govt. Grants	5,14,395	24,84,311
Advance from customers	23,94,930	41,16,558
Statutory dues payable	1,87,22,977	10,20,01,246
Other	2,64,202	1,61,645
Total	2,18,96,504	10,87,63,760

(Amount in ₹)

"15" - Provisions

(i) Long term provision


Particulars	As At March 31, 2024	As at March 31, 2023
Provision for Employee Benefits		
Gratuity	3,54,34,723	3,17,06,947
Total	3,54,34,723	3,17,06,947

(Amount in ₹)

(ii) Short term provision

Particulars	As At March 31, 2024	As at March 31, 2023
Provision for Employee Benefits		
Gratuity	33,29,227	36,39,944
Others	51,68,666	41,01,857
Total	84,97,893	77,41,801



(Amount in ₹)



UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements
"16" - Revenue From operation

(Amount in ₹)


Particulars	Year ended March 31, 2024	Year Ended March 31, 2023
Sale/Transfer of Products		
Sales of manufactured goods	8,11,70,98,181	8,96,55,78,333
Sub-Total (i)	8,11,70,98,181	8,96,55,78,333
ii. Other Operating Income		
Insurance claim received	15,124	1,12,37,076
Miscellaneous Income	4,903	72,94,685
Scrap Sales	41,89,965	-
Refund of Taxes	11,25,000	-
Duty Draw Back	-	4,32,874
Sub-Total (ii)	53,34,992	1,89,64,635
Total (i+ii)	8,12,24,33,173	8,98,45,42,968



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSMI CHEMICAL, DHAMPUR
Notes to Financial Statements


Note "16 A" Revenue from operations/Purchases of stock-in-trade/Inventories

Particulars	Opening stock Qty	Value (Rs.)	Production/Purchases Qty	Value (Rs.)	Sales Qty	Value (Rs.)	Closing Stock Qty	Value (Rs.)
Revenue from operations								
Sale/Transfer of Products								
Finished goods								
1 Rectified Spirit (CF)	-	-	-	-	-	-	-	-
Previous Year	6,10,200	1,21,53,025	-	-	-	-	-	-
2 Ethanol (Un Denatured CF)	-	-	73,62,677	-	-	-	10,76,830	5,23,51,587
Previous Year	-	-	-	-	-	-	-	-
3 Absolute Alcohol (CF)	-	-	-	-	61,71,000	34,29,93,210	1,08,691	52,84,164
Previous Year	-	-	-	-	-	-	-	-
4 Ethanol (Un Denatured BH)	-	-	6,68,50,624	-	-	-	-	-
Previous Year	8,71,546	3,64,04,476	2,69,11,691	-	-	-	-	-
5 Absolute Alcohol BH	-	-	-	-	6,68,30,000	4,01,42,67,665	-	-
Previous Year	1,63,451	68,29,880	-	-	2,79,37,000	1,68,20,52,739	-	-
6 Ethanol (Un Denatured Cane Syrup)	58,44,920	28,56,67,714	2,84,02,998	-	-	-	-	-
Previous Year	20,80,174	11,08,31,671	6,57,47,674	-	-	-	58,44,920	28,56,67,714
7 Absolute Alcohol (Cane Syrup)	2,23,409	1,09,19,009	-	-	-	-	-	-
Previous Year	1,21,161	64,52,586	-	-	3,44,48,000	2,23,05,39,568	2,23,409	1,09,19,009
8 Ethanol (Broken Rice)	-	-	33,31,844	-	-	-	16,275	10,19,903
Previous Year	-	-	-	-	6,18,50,000	4,00,95,85,443	-	-
9 Absolute Alcohol (Broken Rice)	-	-	-	-	33,12,000	21,01,37,340	-	-
Previous Year	-	-	-	-	-	-	-	-
10 Ethanol (Maize)	-	-	1,38,34,926	-	-	-	13,90,539	8,43,66,904
Previous Year	-	-	-	-	-	-	-	-
11 Absolute Alcohol (Maize)	-	-	-	-	1,24,26,000	84,70,60,328	-	-
Previous Year	-	-	-	-	-	-	-	-
12 ENA (BL)	7,46,139	1,36,81,294	66,50,413	-	70,08,992	16,12,06,831	364874	50,34,025
Previous Year	3,07,265	40,22,917	1,04,72,468	-	1,06,06,482	22,92,96,697	7,46,139	1,36,81,294
13 Hand Sanitizer	-	-	-	-	-	-	-	-
Previous Year	-	1,650	-	-	-	-	-	-
14 Fusel Oil	-	-	-	-	-	-	-	-
Previous Year	-	-	-	-	-	74,20,430	-	-
15 RAW CO2 Gas (Kg)	-	-	87,00,500	-	-	32,84,690	-	-
Previous Year	-	-	81,05,000	-	87,00,500	1,91,41,100	-	-
16 SDS (Broken Rice)	-	-	21,61,181	-	81,05,000	1,78,31,000	-	-
Previous Year	-	-	-	-	21,58,115	11,86,96,331	-	-
17 DDGS (Kg)	-	-	-	-	-	-	-	-
Previous Year	-	-	-	-	-	16,56,35,378	-	31,06,647
18 Ethyl Aceate (Qt)	-	-	-	-	-	-	-	-
Previous Year	7,852	7,05,69,447	3,45,445	-	3,51,909	3,02,35,27,764	1,388	99,85,815
Sub-total Revenue from operations		31,02,68,017				8,11,70,98,181		15,11,63,230
Previous Year		24,72,65,652				8,96,55,78,333		32,02,53,832



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements

Other operating revenue							
Insurance claim received						15,124	
Miscellaneous Receipts						41,94,868	
Duty Draw Back / Brand Rate / Focus Market						-	
Refund of taxes						11,25,000	
Previous Year							
Insurance claim received						1,12,37,076	
Miscellaneous Receipts						72,94,685	
Duty Draw Back / Brand Rate / Focus Market						4,32,874	
Refund of taxes							
Sub-total Other operating revenue							
Previous Year						53,34,992	
Total						1,89,64,635	
Previous Year						8,12,24,33,173	
Stock-in-process						8,98,45,42,968	
Rectified Sprit - Cane Syrup							
<i>Previous Year - Cane Syrup</i>	8,05,245	3,68,74,388					805245
Rectified Sprit - CF	3,56,257	1,78,00,404					293133
<i>Previous Year - CF</i>	-	-					-
Rectified Sprit - Maize	-	-					269734
<i>Previous Year - Maize</i>	-	-					-
Total Stock-in-process		3,68,74,388					2,87,00,936
Previous Period		1,78,00,404					3,68,74,388
Revenue from operations (Gross)						8,12,24,33,173	
Previous Period						8,98,45,42,968	




DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements
"17" - Other income

Particulars	Year ended March 31, 2024	Year Ended March 31, 2023
Income from Rent	15,806	-
Interest Income	24,74,419	49,29,682
Profit on sales of fixed Assets	20,20,822	-
Income from rendering services	3,85,430	3,59,882
Balance written back/Prov.no longer required	1,12,418	1,23,92,244
Total	50,08,895	1,76,81,808

"18" - Cost of materials consumed

Particulars	Year ended March 31, 2024	Year Ended March 31, 2023
Cost of raw material consumed (Note - 18A)		
Acetic Acid	-	1,26,56,55,747
SDS	-	1,33,78,86,082
Molasses	3,06,47,01,113	1,03,10,92,801
Cane Syrup Consumed	1,34,02,16,250	2,87,56,64,804
Broken Rice & Maize	1,13,66,90,142	-
Total	5,54,16,07,505	6,51,02,99,434



(Amount in ₹)

Particulars	Year Ended March 31, 2024		Year Ended March 31, 2023	
	Qty (Qtls.)	(Amount)	Qty (Qtls.)	(Amount)
A. Molasses consumed				
Molasses Transfer/Purchases	22,76,917	2,37,44,27,007	16,94,331	1,57,65,18,970
Add : Opening stock of Molasses	7,32,917	74,22,42,889	2,16,867	19,68,16,720
Less : Closing stock of Molasses	(1,17,178)	(5,19,68,783)	(7,32,917)	(74,22,42,889)
Less : Transit & Storage Loss	(16,731)		(11,251)	
Sub-total (A)	28,75,925	3,06,47,01,113	11,67,031	1,03,10,92,801
B. Cane Syrup Consumed (Qtls.)				
Cane Syrup Transfer	9,16,425	1,34,02,16,250	22,13,110	2,87,20,10,129
Add : Opening stock of Cane Syrup	-	-	2,436	36,54,675
Less : Closing stock of Cane Syrup	-	-	-	-
Less : Transit & Storage Loss	-	-	(96)	
Sub-total (B)	9,16,425	1,34,02,16,250	22,15,450	2,87,56,64,804
C. Acetic Acid consumed				
Acetic Acid purchases			2,44,660	1,24,44,95,300
Add : Opening stock of Acetic Acid			14,612	9,09,44,195
Less : Closing stock of Acetic Acid			(16,555)	(6,97,83,748)
Less : Transit Loss			-	-
Sub-total (C)	-	-	2,42,717	1,26,56,55,747
D. SDS consumed (BL) (PURCHASES & IMPORTED)				
SDS purchases			2,07,94,179	1,16,48,88,806
Add : Opening stock of SDS			45,13,761	21,62,28,235
Less : Closing stock of SDS			(8,01,783)	(4,32,30,959)
Less : Transit & Storage Loss/Net gain			(9,111)	
Sub-total (D)	-	-	2,44,97,046	1,33,78,86,082
E. Broken Rice consumed (Qtls.)				
Broken Rice Purchased	1,31,350	32,22,55,863	-	-
Add : Opening stock of Broken Rice	-	-	-	-
Less : Closing stock of Broken Rice	(5,348)	(1,47,07,984)	-	-
Less : Transit & Storage Loss	(4,705)		-	-
Sub-total (E)	1,21,297	30,75,47,879	-	-
F. Corn consumed (Qtls.)				
Corn Purchased	4,73,515	1,06,59,06,621	-	-
Add : Opening stock of Corn	-	-	-	-
Less : Closing stock of Corn	(96,782)	(23,67,64,358)	-	-
Less : Transit & Storage Loss	(12,515)		-	-
Sub-total (F)	3,64,218	82,91,42,263	-	-
Total cost of raw materials consumed (A to F)		5,54,16,07,505		6,51,02,99,434



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements
"18" A - Cost of Raw materials consumed

(Amount in ₹)

Particulars	Year Ended March 31, 2024		Year Ended March 31, 2023	
	Qty (Qtls.)	(Amount)	Qty (Qtls.)	(Amount)
A. Molasses consumed				
Molasses Transfer/Purchases	22,76,917	2,37,44,27,007	16,94,331	1,57,65,18,970
Add : Opening stock of Molasses	7,32,917	74,22,42,889	2,16,867	19,68,16,720
Less : Closing stock of Molasses	(1,17,178)	(5,19,68,783)	(7,32,917)	(74,22,42,889)
Less : Transit & Storage Loss	(16,731)		(11,251)	
Sub-total (A)	28,75,925	3,06,47,01,113	11,67,031	1,03,10,92,801
B. Cane Syrup Consumed (Qtls.)				
Cane Syrup Transfer	9,16,425	1,34,02,16,250	22,13,110	2,87,20,10,129
Add : Opening stock of Cane Syrup	-	-	2,436	36,54,675
Less : Closing stock of Cane Syrup	-	-	-	-
Less : Transit & Storage Loss	-	-	(96)	-
Sub-total (B)	9,16,425	1,34,02,16,250	22,15,450	2,87,56,64,804
C. Acetic Acid consumed				
Acetic Acid purchases			2,44,660	1,24,44,95,300
Add : Opening stock of Acetic Acid			14,612	9,09,44,195
Less : Closing stock of Acetic Acid			(16,555)	(6,97,83,748)
Less : Transit Loss			-	-
Sub-total (C)	-	-	2,42,717	1,26,56,55,747
D. SDS consumed (BL) (PURCHASES & IMPORTED)				
SDS purchases			2,07,94,179	1,16,48,88,806
Add : Opening stock of SDS			45,13,761	21,62,28,235
Less : Closing stock of SDS			(8,01,783)	(4,32,30,959)
Less : Transit & Storage Loss/Net gain			(9,111)	-
Sub-total (D)	-	-	2,44,97,046	1,33,78,86,082
E. Broken Rice consumed (Qtls.)				
Broken Rice Purchased	1,31,350	84,38,50,247	-	-
Add : Opening stock of Broken Rice	-	-	-	-
Less : Closing stock of Broken Rice	(5,348)	(1,47,07,984)	-	-
Less : Transit & Storage Loss	(4,705)		-	-
Sub-total (E)	1,21,297	82,91,42,263	-	-
F. Cron consumed (Qtls.)				
Broken Rice Purchased	4,73,515	84,38,50,247	-	-
Add : Opening stock of Cron	-	-	-	-
Less : Closing stock of Cron	(96,782)	(23,67,64,358)	-	-
Less : Transit & Storage Loss	(12,515)		-	-
Sub-total (F)	3,64,218	30,75,47,879	-	-
Total cost of raw materials consumed (A to F)		5,54,16,07,505		6,51,02,99,434



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR

Notes to Financial Statements

"19" - Changes in inventories of finished goods & work in progress



Particulars	Year ended March 31, 2024	Year Ended March 31, 2023
Closing Stock: :		
Finished	15,11,63,230	32,02,53,832
Stock-in-process	2,87,00,936	3,68,74,388
Total	17,98,64,165	35,71,28,220
Less: Opening Stock :		
Finished	31,02,68,017	24,72,65,652
Stock-in-process	3,68,74,388	1,78,00,404
Total	34,71,42,405	26,50,66,056
Net(Increase)/Decrease in stock	16,72,78,240	(9,20,62,164)

"20" - Employees benefits expense

Particulars	Year ended March 31, 2024	Year Ended March 31, 2023
Salaries and Wages	8,06,84,359	6,75,13,629
Contribution to Provident & other funds	52,50,548	51,74,217
Gratuity	71,85,036	70,80,426
Voluntary Retirement Compensation	95,668	
Workmen & Staff Welfare Expenses	4,11,975	4,08,267
Total	9,36,27,586	8,01,76,539

"21" - Finance costs

Particulars	Year ended March 31, 2024	Year Ended March 31, 2023
Interest	10,61,77,762	5,62,84,779
Documentation and other bank charges	52,42,469	1,71,81,603
	11,14,20,231	7,34,66,382
Less : Interest capitalized during the period	(75,65,890)	(1,41,00,914)
Less : Interest subsidy claimed	(4,86,16,635)	(1,91,99,365)
Total	5,52,37,706	4,01,66,103



DHAMPUR SUGAR MILLS LIMITED
UNIT : DSM CHEMICAL, DHAMPUR
Notes to Financial Statements
"22" - Other expense

Particulars	Year ended March 31, 2024	Year Ended March 31, 2023
Consumption of stores, spares & other manufacturing expenses	33,62,01,511	26,77,61,970
Packing material expenses	21,93,804	3,05,80,349
Power and fuel	46,18,54,010	40,41,06,432
Repair & maintenance : -		
- Plant and machinery	1,65,51,712	2,50,94,436
- Buildings	13,179	-
- Others	10,13,292	10,82,320
Rates and taxes	51,93,989	71,30,733
Charity and donations	5,100	5,100
Insurance	81,27,391	34,65,361
Selling Expenses : -		
- Other selling expenses	8,76,15,046	6,32,57,660
Miscellaneous expenses	1,56,96,503	98,87,520
Foreign Exchange Difference (Net)	-	1,39,34,372
Balance written-off	86,483	13
Loss on Sales of Assets	17,003	-
Total	93,45,69,023	82,63,06,266

Signed For Identification
For Mittal Gupta & Co
Chartered Accountants


Ajay Kumar Rastogi
Chartered Accountants
Membership No. 071426

Signature for Note No. 1 to 22

Vikas Agarwal
C.G.M. (F & A)

Subhash Pandey
Executive Director

Place : New Delhi
Dated: 01-05-2024





POLICY SCHEDULE FOR PUBLIC LIABILITY (Ad Only) INSURANCE

UIN NUMBER - IRDAN190P0078100001

Insured's Name	: DHAMPUR SUGAR MILLS LTD.(CHEMICAL UNIT)
Insured's Details	
Customer ID	: PO15658006
Address	: DHAMPUR, DISTT.BIJNOR BIJNOR, UTTAR PRADESH, 246701
Phone No	: XXXXXX3608
E-mail/Fax	: sanjaykumaragarwal@dhampursugar.co m, /
PAN No	:
GSTIN/UIN	: 09AABCT2827N1ZY / NA
Issuing Office Details	
Office Code	: KASHIPUR D.O. (340600)
Address	: KASHIPUR D.O. HOTEL KUMAUN PLAZA BLDG., NAINITAL RD., KASHIPUR - 244713 244713
Phone No	: 05947-274008 / 9410580305
E-mail/Fax	: nia.340600@newindia.co.in /
S.Tax Regn. No	: AAACN4165CST178
GSTIN	: 05AAACN4165C4ZU
SAC	: 997139 (Other non-life insurance services excl RI)

Policy Details			
Policy Number	: 34060036243300000001	Business Source Code	
Period of Insurance	: From: 13/06/2024 12:00:01 AM To: 12/06/2025 11:59:59 PM	Dev.Off. level/Broker/Corp. Agent/Web Aggregator/CPSC User	: Mr. PRINCE KUMAR - (AO00003600)
Date of Proposal	: 13-Jun-24	Agent/Bancassurance/S pecified Person	: Mr. MITIN CHEEMA (NIAAG00130618) MITIN CHEEMA (SI00214721)
Prev. Policy no.	: 34060036233300000002	Phone No	: 7895447503 / 9756444132
Client Type	: Corporate	E-mail/Fax	: mitincheema93@gmail.com, prince.kumar@newindia.co.in /

Premium(₹)	ERF Premium(₹)	GST(₹)	Total (₹)	Total (₹ In words)	Receipt No. & Date
38430	38430	6,917	83,777	RUPEES EIGHTY-THREE THOUSAND SEVEN HUNDRED SEVENTY- SEVEN ONLY	3406008124000000082 4 - 06/06/24

Details of risk covered under current year policy:

Retroactive Date	Paid Up Capital	No Of Locations Involved	AOA	AOA:AOY	AOY	Annual Turnover - Previous Year	Annual Turnover - Proposed Year	Deductible s	No of Other Employee
12/06/201 2	<= 15 Crore	1	50000000	1:3	15000000 0	52500000 00	60000000 00	250	500

Retroactive Dates

Retroactiv e Date Details	Date	Paid Up Capital	No Of Locations Involved	AOA	AOA:AOY	AOY	Annual Turnover - Previous Year	Annual Turnover - Proposed Year	Deductibl es	No of workmen	No of Other Employee
RETROA CTIVE DATE 1	12/06/20 12	<=15Cro re	1	5000000 0	1.3	1500000 00	5250000 000	6000000 000	250	500	

RETRO-DATE IS SUBJECT TO LESSER OF LIMITS - NARROWER OF COVER.

Extensions under the Policy

Name of the Extension	Sub Limit of the Extension	Deductibles of the Extension
-----------------------	----------------------------	------------------------------

Signature Not
Verified
Digitally signed
by DHIRAJ
KUMAR
Date: 2024.06.06
12:17:42+5T

Policy No. : 34060036243300000001 Document generated by 36026 at 06/06/2024 12:17:42 Hours.

Regd. & Head Office: New India Assurance Bldg., 87 M.G. Road, Fort, Mumbai - 400 001. TOLL FREE No. 1 800 209 1415.



Special Conditions		
	NA	
Special Exclusions	NA	
Special Excess/Deductible	100000	
Retroactive Dates	Date	
Retroactive date	12/06/2012	

The Policy shall be subject to PUBLIC LIABILITY (Act Only) INSURANCE Policy clauses attached herewith.

Clauses	Description	
Premium and GST Details		
	Rate of Tax	Amount in INR
Premium		₹ 76,860
SGST	0	0
CGST	0	0
IGST	18	6917

In witness whereof the undersigned being duly authorised by the Insurers and on behalf of the Insurers has (have) hereunder set his (their) hand(s) on this 06th day of June, 2024.

For and on behalf of
The New India Assurance Company Limited

Date of Issue: 06/06/2024

Duly Constituted Attorney(s)

Stamp Duty under the Policy is ₹1

Mudrank _____ Dt. _____ consolidated Stamp Fees Paid by Pay Order Number _____ vide receipt
number _____ dt. _____.

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

Tax Invoice No : 34060024E0001201

IRDA Registration Number: 190
NIA PAN NUMBER: AAACN4165C



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC022068

VALID FROM 06/04/2024 TO 05/04/2029

Name of the Applicant	ANANT PANDE		
Address of the Applicant:	Dhampur Sugar Mills Ltd Dhampur Bijnor		
Company Name:	DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION	Company Address	Distillery Division, Dhampur, District-Bijnor
Serial No. of Application Form	BJNR0324NIN0101	Date of Submission	05/03/2024
Specimen Signature of the User:			
Location particulars:			
District	Bijnor	Block	ALHEPUR
Plot No.	KHASRA NO. 194, 190 ETC.		
Municipality/Corporation	No	Ward No.	NA
Holding No.			NA
Rate of Withdrawal (m ³ /hr.)	100.00	Date of Energization (In Case of Electric Pump)	25/10/2022
Particular of the Proposed Well and Pumping Device			
Type of the Well	Tube Well/Boring	Purpose of the Well	Industrial
Assembly Size (For Tube Well)	0.00	Approx. Strainer Length (For Tube Well)	0.00
Diameter (For Dug Well)	0.00	Type of Pump to be Used:	Submersible
H.P. of the Pump:	50.00	Operational Device	Electric Motor
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	100.00	Maximum Allowable Running Hours Per Day:	10.75
Maximum Allowable Annual Extraction of Ground Water:	392375.00	Recharge Required:	196187.50

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

GENERAL CONDITIONS:

- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director,

Ground Water Department, Uttar Pradesh, for chemical analysis.

- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

•

SPECIFIC CONDITIONS:

- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :27/06/2024

Place:Bijnor

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC024675

VALID FROM 06/04/2024 TO 05/04/2029

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202403000127			
Name of the Owner	ANANT PANDE		
Designation पद	MANAGER	Company Name कंपनी का नाम	DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION
Company Address कंपनी का पता	Distillery Division, Dhampur, District - Bijnor	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	Dhampur Sugar Mills Ltd Dhampur Bijnor	Application No.	BJNR0324NIN0100
Date of Submission	05/03/2024	Specimen Signature	
Location Particulars			
District	Bijnor	Block	ALHEPUR
Plot No./Khasra No.	KHASRA NO. 194, 190 ETC	Municipality/Corporation	No
Ward No./Holding No.			NA
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	01/04/2007		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	130.62
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	50.00
Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	120.00

Date of Energization (In Case of Electric Pump)		01/04/2007	
Maximum Allowable Rate of Withdrawal (m³/hr.):	120.00	Maximum Allowable Running Hours Per Day:	10.00
Maximum Allowable Annual Extraction of Ground Water:	438000.00	Recharge Required	219000.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 219000.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- All Users abstracting ground water in excess of 100 m³/d shall be required to submit impact assessment report prepared by an accredited consultant from CGWA and National Accreditation Board for Education and Training (NABET). The report should highlight environmental risks and proposed management strategies to overcome any significant environmental issues such as ground water level decline, land subsidence etc. within three months of completion of the same to Ground Water Department Uttar Pradesh. The list of accredited Individuals/ Institutions is available on the official web-portal of CGWA.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.

- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries / Laghu Udyog Bharati certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :12/04/2024

Place:Bijnor

This certificate is electronically generated and does not require digital signature



Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

178825/UPPCB/Bijnore(UPPCBRO)/CTO/both/BIJNOR/2023

Date: 06/04/2023

To,

M/s

DHAMPUR SUGAR MILLS LTD CHEMICAL DIVISION

Dhampur Sugar Mills Ltd, Dhampur ,BIJNOR,246761

Application Id- 20040674

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to **DHAMPUR SUGAR MILLS LTD CHEMICAL DIVISION** located at **Dhampur Sugar Mills Ltd, Dhampur ,BIJNOR,246761**. subject to the provisions of **the Water Act, Air Act** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA DHAMPUR SUGAR MILLS LTD CHEMICAL DIVISION **granted for the period from 06/04/2023 to 31/12/2027** and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	RS/ENA/AA by using B Heavy Molasses	455	Kilo Liters/Day
2	cogeneration power	10.5	Megawatt
3	RS/ENA/AA by using Cane juice syrup	490	Kilo Liters/Day
4	ethyl acetate	140	Kilo Liters/Day

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	80KLD	Septic Tank	ground
Industrial	ZLD	ETP	ZLD

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
1	Quantity of Discharge	ZLD

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
1	BOD (mg/L)	30mg/l
2	pH	5.5-9
3	TSS (mg/L)	100mg/l

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	Slop Boiler 75 TPH	Slop and Baggasse	01	Particulate Matter	Bag filter as APCS and stack height of 84 meters from ground level
2	Slop Boiler 55 TPH	Slop and Baggasse	02	Particulate Matter	Electrostatic Precipitator as APCS along with stack height of 82 meter from ground level

Emmission Quality Standards

S No.	Stack no	Parameters	Standards
1	01	Particulate Matter	50mg/NM3
2	02	Particulate Matter	50mg/NM3

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof

6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.

7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. The earlier CTO issued by UPPCB vide letter number 173499/UPPCB/Bijnore(UPPCBRO)/CTO/Both/BIJNORE/2023 dated 19.01.2023 issued under Water (Prevention and Control of Pollution) Act 1974 and under Air (Prevention and Control of Pollution) Act 1981 for production of 350 KLD Rectified spirit/ ENA/AA and 140 KLD Ethyle Acitate and 10.5 MW cogeneration power with validity 31.12.2024 is hereby revoked.

2. This consent is valid for production of 455 KLD Ethanol/Rectified Spirit/ ENA by using B Heavy Mollases or 490 KLD Ethanol/Rectified Spirit/ ENA by using C Heavy Mollases with 140 KLD Ethyl Acetate and 10.5 MW cogeneration power.

3. Domestic sewage 80 KLD shall be disposed through STP of 220 KLD capacity, treated water shall be used in irrigation on land.

4. Unit shall identify recipient drains/ rivulets and their u/s & d/s location in consultation with UPPCB and shall carry out monthly monitoring of identified recipient drains at u/s & d/s location through lab recognized under Environment (Protection) Act, 1986 and shall submit the analysis report on monthly basis by 10th of every month to CPCB and UPPCB.

5. Unit must strictly maintain zero liquid discharge of effluent outside premises into drain/river/water body and on land.

6. Unit must operate and maintain properly the installed flow meter and web camera with and shall ensure on line connectivity of flow meter and web camera with server of CPCB and UPPCB.

7. Unit shall develop Green Belt in minimum 33 percent area of Industrial Premises as per the provisions laid down in office order no. H16405/220/2018/02 dated 16-02-2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution Control Board www.uppcb.com.

8. Process effluent / any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.

9. Unit shall maintain the APCS installed in the slop fire boiler of 75 TPH with bag filtre and stack height is 84 meter from ground level, and Slop boiler of 55 TPH with ESP and stack height is 82 meter from ground level.

10. Unit shall install online emission monitoring system at the stack of Boiler of 55 TPH and maintain the records, and ensure the connectivity to the servers of CPCB and UPPCB.

11. Unit shall ensure the connectivity of online emission monitoring system installed at the stack of Boiler of 55 TPH to the servers of CPCB and UPPCB .

12. Unit shall ensure that ambient air quality of nearby areas is not adversely affected due to operation and emissions of the unit.

13. The overall noise levels in and around area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise level shall confirm to the standards under the Environment (Protection) Act 1986.

14. Unit shall make temporary storage facility for storage of hazardous waste in the premises before it will send to TSDF as per the provisions of Hazardous and Other Waste (Management and Transboundary

Movement)Rules 2016.

15. Unit shall comply the provisions of Hazardous and Other Waste (Management and Transboundary Movement)Rules 2016 and shall obtain authorization for disposal of hazardous waste.

16. Unit shall install the board showing daily environmental statement ie chemicals used in the treatment of effluent , flow meter reading , hazardous waste generated and send to TSDF etc.at the main gate of the unit.

17. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as Amended and Environment (Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi in Order dated 13.07.2017 in OA no. 200/2014, M.C. Mehta v/s Union of India.

18. Unit shall submit ground water quality monitoring report and effluent monitoring report done by MoEF & CC approved laboratory in every 3 months.

19. This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on Revoking of Closure order, the Consent order shall become valid.

VIVEK
ROY

Digitally signed
by VIVEK ROY
Date: 2023.04.17
17:03:17 +05'30'

Chief Environment Officer

Copy to:

Regional Officer Bijnore to ensure the compliance of the conditions imposed in the consent order.

VIVEK
ROY

Digitally signed
by VIVEK ROY
Date: 2023.04.17
17:03:31 +05'30'

Chief Environment Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831 Fax:0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 14156/UPPCB/Bijnore(UPPCBRO)/HWM/BIJNOR/2021

Dated :16/05/2021

To,

M/s DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION

Dhampur Sugar mills Ltd Distillery Unit, BIJNOR, 246781

Tehsil :Bijnor

District :BIJNOR

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 14156 and 16/05/2021 .
2. Reference of application (No. and date) 11804497 and 27/03/2021 .
3. Mr AMIT SHARMA of M/s DHAMPUR SUGAR MILLS LTD DISTILLERY DIVISION is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at Dhampur Sugar mills Ltd Distillery Unit, BIJNOR, 246 .

Details of Authorisation

S No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing, etc.	Quantity(ton/annum)
1	Schedule I (Category 5.1) waste oil	TSDF/ Authorized Recyclers	3Ton per Annum

1. The authorization shall be valid for a period of 16/05/2026 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .

